

# DATA SHEET

# NEC

## NPN SILICON RF TWIN TRANSISTOR $\mu$ PA841TC

### NPN SILICON RF TRANSISTOR (WITH 2 DIFFERENT ELEMENTS) IN A FLAT-LEAD 6-PIN THIN-TYPE ULTRA SUPER MINIMOLD

#### FEATURES

- Low voltage operation
- 2 different built-in transistors (2SC5435, 2SC5600)
  - Q1: High gain transistor suited for buffer applications  
 $f_T = 12.0 \text{ GHz TYP.}$ ,  $|S_{21e}|^2 = 8.5 \text{ dB TYP. @ } V_{CE} = 3 \text{ V, } I_c = 10 \text{ mA, } f = 2 \text{ GHz}$
  - Q2: Low phase distortion transistor suited for OSC applications  
 $f_T = 5.0 \text{ GHz TYP.}$ ,  $|S_{21e}|^2 = 4.0 \text{ dB TYP. @ } V_{CE} = 1 \text{ V, } I_c = 5 \text{ mA, } f = 2 \text{ GHz}$
- Flat-lead 6-pin thin-type ultra super minimold package

#### BUILT-IN TRANSISTORS

	Q1	Q2
3-pin thin-type ultra super minimold part No.	2SC5435	2SC5600

#### ORDERING INFORMATION

Part Number	Quantity	Supplying Form
$\mu$ PA841TC	50 pcs (Non reel)	<ul style="list-style-type: none"> <li>• 8 mm wide embossed taping</li> <li>• Pin 6 (Q1 Base), Pin 5 (Q2 Emitter), Pin 4 (Q2 Base) face the perforation side of the tape</li> </ul>
$\mu$ PA841TC-T1	3 kpcs/reel	

**Remark** To order evaluation samples, consult your NEC sales representative.  
Unit sample quantity is 50 pcs.

**Because this product uses high-frequency technology, avoid excessive static electricity, etc.**

The information in this document is subject to change without notice. Before using this document, please confirm that this is the latest version.  
Not all devices/types available in every country. Please check with local NEC representative for availability and additional information.

**ABSOLUTE MAXIMUM RATINGS (T<sub>A</sub> = +25°C)**

Parameter	Symbol	Ratings		Unit
		Q1	Q2	
Collector to Base Voltage	V <sub>CB0</sub>	9	9	V
Collector to Emitter Voltage	V <sub>CEO</sub>	6	5.5	V
Emitter to Base Voltage	V <sub>EBO</sub>	2	1.5	V
Collector Current	I <sub>c</sub>	30	100	mA
Total Power Dissipation	P <sub>tot</sub> <sup>Note</sup>	180	200	mW
		230 in 2 elements		
Junction Temperature	T <sub>j</sub>	150		°C
Storage Temperature	T <sub>stg</sub>	-65 to +150		°C

**Note** Mounted on 1.08 cm<sup>2</sup> × 1.0 mm (t) glass epoxy PCB

**ELECTRICAL CHARACTERISTICS (T<sub>A</sub> = +25°C)**

**(1) Q1**

Parameter	Symbol	Test Conditions	MIN.	TYP.	MAX.	Unit
Collector Cut-off Current	I <sub>CB0</sub>	V <sub>CB</sub> = 5 V, I <sub>E</sub> = 0 mA	–	–	100	nA
Emitter Cut-off Current	I <sub>EBO</sub>	V <sub>BE</sub> = 1 V, I <sub>C</sub> = 0 mA	–	–	100	nA
DC Current Gain	h <sub>FE</sub> <sup>Note 1</sup>	V <sub>CE</sub> = 3 V, I <sub>C</sub> = 10 mA	75	110	150	–
Gain Bandwidth Product	f <sub>T</sub>	V <sub>CE</sub> = 3 V, I <sub>C</sub> = 10 mA, f = 2 GHz	10.0	12.0	–	GHz
Insertion Power Gain	S <sub>21e</sub>   <sup>2</sup>	V <sub>CE</sub> = 3 V, I <sub>C</sub> = 10 mA, f = 2 GHz	7.0	8.5	–	dB
Noise Figure	NF	V <sub>CE</sub> = 3 V, I <sub>C</sub> = 3 mA, f = 2 GHz, Z <sub>S</sub> = Z <sub>opt</sub>	–	1.5	2.5	dB
Reverse Transfer Capacitance	C <sub>re</sub> <sup>Note 2</sup>	V <sub>CB</sub> = 3 V, I <sub>E</sub> = 0 mA, f = 1 MHz	–	0.4	0.7	pF

**(2) Q2**

Parameter	Symbol	Test Conditions	MIN.	TYP.	MAX.	Unit
Collector Cut-off Current	I <sub>CB0</sub>	V <sub>CB</sub> = 5 V, I <sub>E</sub> = 0 mA	–	–	600	nA
Emitter Cut-off Current	I <sub>EBO</sub>	V <sub>BE</sub> = 1 V, I <sub>C</sub> = 0 mA	–	–	600	nA
DC Current Gain	h <sub>FE</sub> <sup>Note 1</sup>	V <sub>CE</sub> = 1 V, I <sub>C</sub> = 5 mA	100	–	160	–
Gain Bandwidth Product (1)	f <sub>T</sub>	V <sub>CE</sub> = 1 V, I <sub>C</sub> = 5 mA, f = 2 GHz	3.5	5.0	–	GHz
Gain Bandwidth Product (2)	f <sub>T</sub>	V <sub>CE</sub> = 1 V, I <sub>C</sub> = 15 mA, f = 2 GHz	5.5	6.5	–	GHz
Insertion Power Gain (1)	S <sub>21e</sub>   <sup>2</sup>	V <sub>CE</sub> = 1 V, I <sub>C</sub> = 5 mA, f = 2 GHz	3.5	4.0	–	dB
Insertion Power Gain (2)	S <sub>21e</sub>   <sup>2</sup>	V <sub>CE</sub> = 1 V, I <sub>C</sub> = 15 mA, f = 2 GHz	4.5	5.5	–	dB
Noise Figure	NF	V <sub>CE</sub> = 1 V, I <sub>C</sub> = 5 mA, f = 2 GHz, Z <sub>S</sub> = Z <sub>opt</sub>	–	1.5	2.5	dB
Reverse Transfer Capacitance	C <sub>re</sub> <sup>Note 2</sup>	V <sub>CB</sub> = 0.5 V, I <sub>E</sub> = 0 mA, f = 1 MHz	–	0.8	1.0	pF


- Notes** 1. Pulse measurement: PW ≤ 350 μs, Duty Cycle ≤ 2%  
 2. Collector to base capacitance when the emitter grounded

**hFE CLASSIFICATION**

Rank	FB
Marking	2A
hFE Value of Q1	75 to 150
hFE Value of Q2	100 to 160

★ TYPICAL CHARACTERISTICS (Unless otherwise specified,  $T_A = +25^\circ\text{C}$ )


TOTAL POWER DISSIPATION  
vs. AMBIENT TEMPERATURE




Q1

Q2

REVERSE TRANSFER CAPACITANCE  
vs. COLLECTOR TO BASE VOLTAGE




REVERSE TRANSFER CAPACITANCE  
vs. COLLECTOR TO BASE VOLTAGE




Q1

COLLECTOR CURRENT vs.  
BASE TO EMITTER VOLTAGE




Q2


COLLECTOR CURRENT vs.  
BASE TO EMITTER VOLTAGE



COLLECTOR CURRENT vs.  
BASE TO EMITTER VOLTAGE




COLLECTOR CURRENT vs.  
BASE TO EMITTER VOLTAGE




Q1

COLLECTOR CURRENT vs.  
COLLECTOR TO EMITTER VOLTAGE




Q2

COLLECTOR CURRENT vs.  
COLLECTOR TO EMITTER VOLTAGE




Q1

DC CURRENT GAIN vs. COLLECTOR CURRENT




Q2


DC CURRENT GAIN vs. COLLECTOR CURRENT



DC CURRENT GAIN vs. COLLECTOR CURRENT




DC CURRENT GAIN vs. COLLECTOR CURRENT




Q1

GAIN BANDWIDTH PRODUCT vs. COLLECTOR CURRENT




Q2


GAIN BANDWIDTH PRODUCT vs. COLLECTOR CURRENT




GAIN BANDWIDTH PRODUCT vs. COLLECTOR CURRENT



GAIN BANDWIDTH PRODUCT vs. COLLECTOR CURRENT




GAIN BANDWIDTH PRODUCT vs. COLLECTOR CURRENT






Q1

INSERTION POWER GAIN, MAG, MSG vs. FREQUENCY




Q2


INSERTION POWER GAIN, MAG, MSG vs. FREQUENCY




INSERTION POWER GAIN, MAG, MSG vs. FREQUENCY




INSERTION POWER GAIN, MAG, MSG vs. FREQUENCY



INSERTION POWER GAIN, MAG, MSG vs. FREQUENCY




INSERTION POWER GAIN, MAG, MSG vs. FREQUENCY




Q2

INSERTION POWER GAIN,  
MAG, MSG vs. FREQUENCY




Q1

INSERTION POWER GAIN, MAG, MSG vs. COLLECTOR CURRENT




Q2


INSERTION POWER GAIN, MAG, MSG vs. COLLECTOR CURRENT




INSERTION POWER GAIN, MAG, MSG vs. COLLECTOR CURRENT




INSERTION POWER GAIN, MAG, MSG vs. COLLECTOR CURRENT



INSERTION POWER GAIN, MAG vs. COLLECTOR CURRENT




INSERTION POWER GAIN, MSG vs. COLLECTOR CURRENT




Q1

INSERTION POWER GAIN, MAG, MSG  
vs. COLLECTOR CURRENT




Q2


INSERTION POWER GAIN, MAG, MSG  
vs. COLLECTOR CURRENT



INSERTION POWER GAIN, MAG, MSG  
vs. COLLECTOR CURRENT




INSERTION POWER GAIN, MAG  
vs. COLLECTOR CURRENT




Q1


INSERTION POWER GAIN, MAG, MSG  
vs. COLLECTOR CURRENT



INSERTION POWER GAIN, MAG, MSG  
vs. COLLECTOR CURRENT




INSERTION POWER GAIN, MAG  
vs. COLLECTOR CURRENT




Q1

NOISE FIGURE, ASSOCIATED GAIN vs. COLLECTOR CURRENT




Q2


NOISE FIGURE, ASSOCIATED GAIN vs. COLLECTOR CURRENT




NOISE FIGURE, ASSOCIATED GAIN vs. COLLECTOR CURRENT




NOISE FIGURE, ASSOCIATED GAIN vs. COLLECTOR CURRENT



NOISE FIGURE, ASSOCIATED GAIN vs. COLLECTOR CURRENT




NOISE FIGURE, ASSOCIATED GAIN vs. COLLECTOR CURRENT




Q1

NOISE FIGURE, ASSOCIATED GAIN vs. COLLECTOR CURRENT




Q2


NOISE FIGURE, ASSOCIATED GAIN vs. COLLECTOR CURRENT




NOISE FIGURE, ASSOCIATED GAIN vs. COLLECTOR CURRENT




NOISE FIGURE, ASSOCIATED GAIN vs. COLLECTOR CURRENT



NOISE FIGURE, ASSOCIATED GAIN vs. COLLECTOR CURRENT




NOISE FIGURE, ASSOCIATED GAIN vs. COLLECTOR CURRENT




Q1


NOISE FIGURE, ASSOCIATED GAIN vs. COLLECTOR CURRENT



NOISE FIGURE, ASSOCIATED GAIN vs. COLLECTOR CURRENT



NOISE FIGURE, ASSOCIATED GAIN vs. COLLECTOR CURRENT



**Remark** The graphs indicate nominal characteristics.



★ S-PARAMETERS Q1

V<sub>CE</sub> = 1 V, I<sub>c</sub> = 1 mA, Z<sub>o</sub> = 50 Ω

Frequency (GHz)	S <sub>11</sub>		S <sub>21</sub>		S <sub>12</sub>		S <sub>22</sub>	
	MAG.	ANG. (deg.)	MAG.	ANG. (deg.)	MAG.	ANG. (deg.)	MAG.	ANG. (deg.)
0.1	0.942	-7.5	3.602	171.5	0.022	84.4	0.992	-4.4
0.2	0.947	-15.3	3.530	166.0	0.044	79.8	0.986	-8.6
0.3	0.923	-23.2	3.489	158.7	0.064	75.0	0.970	-12.8
0.4	0.896	-30.5	3.394	152.1	0.084	70.1	0.950	-16.9
0.5	0.864	-38.2	3.311	145.7	0.101	65.4	0.925	-20.7
0.6	0.831	-45.5	3.218	139.1	0.118	61.2	0.899	-24.4
0.7	0.795	-52.7	3.113	133.5	0.133	57.2	0.870	-27.9
0.8	0.757	-59.6	3.007	127.4	0.146	53.4	0.840	-31.2
0.9	0.719	-66.5	2.907	121.8	0.157	50.0	0.810	-34.4
1.0	0.681	-73.3	2.804	116.3	0.167	46.6	0.781	-37.3
1.1	0.644	-80.2	2.700	111.2	0.176	43.6	0.752	-40.1
1.2	0.610	-87.0	2.595	106.5	0.183	40.8	0.723	-42.5
1.3	0.574	-94.1	2.490	101.8	0.189	38.1	0.694	-44.9
1.4	0.548	-100.4	2.395	97.3	0.195	35.5	0.669	-47.3
1.5	0.523	-107.8	2.307	93.0	0.199	33.2	0.644	-49.5
1.6	0.497	-114.7	2.237	88.7	0.203	31.1	0.619	-51.6
1.7	0.476	-121.6	2.146	84.8	0.207	29.1	0.596	-53.7
1.8	0.459	-128.3	2.070	80.8	0.209	27.4	0.575	-55.5
1.9	0.441	-135.3	1.996	77.1	0.212	25.6	0.555	-57.4
2.0	0.431	-142.4	1.931	73.4	0.214	24.3	0.535	-59.1
2.1	0.420	-149.1	1.867	69.6	0.214	23.1	0.517	-61.0
2.2	0.411	-155.1	1.807	66.6	0.214	22.0	0.500	-62.8
2.3	0.405	-161.9	1.747	63.3	0.214	20.6	0.484	-64.6
2.4	0.400	-168.2	1.691	60.0	0.213	19.6	0.468	-66.4
2.5	0.395	-174.4	1.636	57.0	0.213	18.6	0.452	-68.3
2.6	0.394	179.9	1.581	54.4	0.211	17.5	0.440	-70.3
2.7	0.384	174.6	1.520	51.8	0.207	17.1	0.428	-71.7
2.8	0.383	171.0	1.486	49.9	0.205	17.8	0.424	-72.9
2.9	0.392	167.8	1.453	47.6	0.207	18.0	0.420	-74.8
3.0	0.398	163.3	1.432	45.1	0.210	18.1	0.409	-77.5
4.0	0.486	127.6	1.130	21.9	0.227	16.4	0.345	-105.7
5.0	0.566	106.2	0.897	3.4	0.254	16.1	0.355	-143.1

V<sub>CE</sub> = 1 V, I<sub>c</sub> = 3 mA, Z<sub>o</sub> = 50 Ω

Frequency (GHz)	S <sub>11</sub>		S <sub>21</sub>		S <sub>12</sub>		S <sub>22</sub>	
	MAG.	ANG. (deg.)	MAG.	ANG. (deg.)	MAG.	ANG. (deg.)	MAG.	ANG. (deg.)
0.1	0.869	-13.8	9.468	167.2	0.021	81.8	0.977	-8.6
0.2	0.844	-27.0	9.026	156.9	0.041	75.0	0.942	-16.4
0.3	0.780	-39.1	8.497	146.5	0.057	68.0	0.889	-23.6
0.4	0.716	-50.4	7.860	137.5	0.072	62.5	0.828	-29.7
0.5	0.657	-60.9	7.272	129.5	0.083	58.1	0.767	-34.8
0.6	0.594	-70.9	6.668	122.0	0.093	54.6	0.708	-39.1
0.7	0.539	-80.0	6.150	116.0	0.101	51.7	0.655	-42.6
0.8	0.494	-88.5	5.668	109.9	0.108	49.4	0.610	-45.6
0.9	0.452	-97.4	5.247	104.8	0.114	47.6	0.567	-48.3
1.0	0.415	-105.5	4.872	99.9	0.120	46.3	0.531	-50.5
1.1	0.385	-113.8	4.546	95.6	0.125	45.1	0.499	-52.7
1.2	0.361	-122.2	4.234	91.7	0.130	44.1	0.471	-54.5
1.3	0.339	-130.1	3.961	87.8	0.135	43.2	0.445	-56.3
1.4	0.327	-137.7	3.729	84.4	0.140	42.3	0.420	-58.2
1.5	0.319	-145.9	3.513	81.1	0.144	41.7	0.399	-59.9
1.6	0.309	-153.5	3.341	77.8	0.148	41.1	0.381	-61.8
1.7	0.307	-160.9	3.163	74.7	0.153	40.6	0.362	-63.5
1.8	0.306	-167.8	3.010	71.8	0.158	40.1	0.345	-65.1
1.9	0.307	-174.3	2.863	69.0	0.162	39.7	0.329	-66.9
2.0	0.310	179.6	2.736	66.3	0.167	39.3	0.314	-68.6
2.1	0.313	173.8	2.622	63.4	0.171	39.0	0.299	-70.5
2.2	0.316	169.0	2.514	61.0	0.175	38.5	0.286	-72.6
2.3	0.325	163.1	2.410	58.3	0.179	38.0	0.274	-74.7
2.4	0.327	158.7	2.315	55.9	0.183	37.4	0.260	-77.0
2.5	0.334	153.8	2.232	53.5	0.186	37.0	0.247	-79.2
2.6	0.340	149.9	2.142	51.4	0.189	36.3	0.237	-81.4
2.7	0.338	145.3	2.055	49.4	0.191	36.3	0.226	-83.3
2.8	0.341	142.8	1.996	48.0	0.195	36.9	0.223	-84.2
2.9	0.349	141.6	1.950	45.9	0.202	36.7	0.222	-86.9
3.0	0.360	138.7	1.914	43.8	0.209	36.2	0.214	-90.7
4.0	0.464	114.6	1.472	24.2	0.256	28.5	0.181	-134.3
5.0	0.553	99.2	1.169	8.1	0.296	21.2	0.234	-176.7

V<sub>CE</sub> = 1 V, I<sub>c</sub> = 5 mA, Z<sub>o</sub> = 50 Ω

Frequency (GHz)	S <sub>11</sub>		S <sub>21</sub>		S <sub>12</sub>		S <sub>22</sub>	
	MAG.	ANG. (deg.)	MAG.	ANG. (deg.)	MAG.	ANG. (deg.)	MAG.	ANG. (deg.)
0.1	0.804	-18.0	14.154	163.1	0.020	79.7	0.959	-12.0
0.2	0.743	-35.8	13.017	150.0	0.038	71.7	0.891	-22.4
0.3	0.656	-51.2	11.714	137.8	0.051	64.5	0.805	-30.8
0.4	0.578	-64.4	10.376	127.9	0.063	59.8	0.720	-37.2
0.5	0.510	-76.3	9.244	119.7	0.071	56.6	0.644	-41.9
0.6	0.451	-87.3	8.211	112.6	0.079	54.4	0.580	-45.7
0.7	0.404	-97.5	7.385	107.0	0.086	52.8	0.527	-48.5
0.8	0.367	-107.1	6.661	101.8	0.091	51.9	0.484	-50.7
0.9	0.333	-116.5	6.059	97.2	0.097	51.4	0.446	-52.7
1.0	0.310	-125.4	5.559	93.0	0.103	50.8	0.415	-54.5
1.1	0.292	-134.5	5.130	89.2	0.109	50.4	0.388	-56.0
1.2	0.281	-142.6	4.750	85.8	0.114	50.0	0.365	-57.5
1.3	0.269	-151.3	4.403	82.6	0.120	49.6	0.345	-59.0
1.4	0.267	-158.7	4.115	79.5	0.126	49.1	0.327	-60.6
1.5	0.269	-166.6	3.867	76.7	0.131	48.6	0.310	-62.3
1.6	0.270	-173.8	3.665	73.8	0.137	48.5	0.294	-64.2
1.7	0.272	179.8	3.457	71.1	0.143	48.0	0.278	-66.0
1.8	0.279	173.9	3.283	68.5	0.149	47.5	0.265	-67.8
1.9	0.283	168.5	3.117	66.0	0.155	47.0	0.252	-69.8
2.0	0.294	163.6	2.972	63.5	0.160	46.5	0.239	-71.9
2.1	0.299	159.2	2.838	60.9	0.166	46.1	0.226	-74.3
2.2	0.306	155.2	2.720	58.8	0.171	45.6	0.215	-76.8
2.3	0.315	150.4	2.599	56.5	0.177	44.8	0.204	-79.4
2.4	0.323	146.7	2.492	54.2	0.182	44.1	0.193	-82.3
2.5	0.331	142.6	2.401	52.0	0.186	43.4	0.182	-85.4
2.6	0.337	139.2	2.299	50.1	0.191	42.7	0.172	-88.3
2.7	0.339	135.2	2.206	48.3	0.194	42.5	0.162	-90.6
2.8	0.341	133.6	2.141	47.1	0.200	42.9	0.160	-91.8
2.9	0.349	133.0	2.092	45.1	0.208	42.3	0.161	-95.3
3.0	0.359	130.6	2.053	43.0	0.215	41.6	0.157	-100.1
4.0	0.466	110.4	1.572	24.8	0.267	31.7	0.153	-154.5
5.0	0.552	97.1	1.248	9.5	0.309	22.7	0.232	167.2

V<sub>CE</sub> = 1 V, I<sub>c</sub> = 7 mA, Z<sub>o</sub> = 50 Ω

Frequency (GHz)	S <sub>11</sub>		S <sub>21</sub>		S <sub>12</sub>		S <sub>22</sub>	
	MAG.	ANG. (deg.)	MAG.	ANG. (deg.)	MAG.	ANG. (deg.)	MAG.	ANG. (deg.)
0.1	0.734	-22.2	17.839	159.8	0.019	79.6	0.940	-14.7
0.2	0.661	-43.6	15.818	144.7	0.036	69.6	0.844	-26.7
0.3	0.566	-60.4	13.713	131.7	0.047	63.1	0.736	-35.4
0.4	0.485	-75.5	11.756	121.9	0.056	59.1	0.641	-41.5
0.5	0.420	-88.1	10.221	113.8	0.064	57.3	0.563	-45.5
0.6	0.371	-99.5	8.926	107.3	0.071	55.9	0.502	-48.5
0.7	0.333	-110.6	7.932	102.2	0.077	55.2	0.452	-50.7
0.8	0.302	-120.1	7.085	97.3	0.083	55.0	0.413	-52.4
0.9	0.280	-130.6	6.405	93.1	0.090	54.7	0.381	-53.9
1.0	0.264	-139.9	5.841	89.3	0.096	54.7	0.354	-55.3
1.1	0.256	-148.9	5.358	85.9	0.102	54.4	0.332	-56.7
1.2	0.251	-157.2	4.946	82.7	0.108	54.1	0.312	-58.1
1.3	0.248	-165.4	4.576	79.7	0.115	53.9	0.295	-59.5
1.4	0.248	-171.6	4.279	76.8	0.121	53.2	0.279	-61.1
1.5	0.256	-178.5	4.000	74.2	0.127	52.8	0.265	-62.9
1.6	0.261	175.2	3.788	71.6	0.133	52.5	0.251	-64.8
1.7	0.266	169.0	3.567	69.2	0.140	52.0	0.238	-66.8
1.8	0.276	163.9	3.385	66.7	0.146	51.4	0.226	-68.8
1.9	0.282	159.4	3.214	64.5	0.153	50.8	0.214	-70.8
2.0	0.292	155.5	3.061	62.2	0.159	50.2	0.202	-73.1
2.1	0.301	151.3	2.922	59.6	0.165	49.7	0.192	-75.9
2.2	0.305	148.2	2.795	57.7	0.171	49.0	0.182	-78.8
2.3	0.317	144.2	2.671	55.5	0.177	48.2	0.172	-81.9
2.4	0.326	140.7	2.559	53.2	0.182	47.3	0.161	-85.4
2.5	0.335	137.5	2.463	51.2	0.188	46.5	0.152	-89.1
2.6	0.340	134.2	2.360	49.3	0.193	45.7	0.143	-92.6
2.7	0.344	131.0	2.264	47.7	0.197	45.4	0.133	-95.5
2.8	0.344	128.9	2.195	46.4	0.203	45.5	0.132	-97.0
2.9	0.352	128.5	2.143	44.5	0.211	44.8	0.134	-100.9
3.0	0.365	126.7	2.103	42.5	0.219	44.0	0.131	-106.8
4.0	0.470	108.7	1.608	24.7	0.272	32.9	0.148	-165.7
5.0	0.556	95.9	1.277	9.8	0.314	23.4	0.238	160.2

V<sub>CE</sub> = 1 V, I<sub>c</sub> = 10 mA, Z<sub>o</sub> = 50 Ω

Frequency (GHz)	S <sub>11</sub>		S <sub>21</sub>		S <sub>12</sub>		S <sub>22</sub>	
	MAG.	ANG. (deg.)	MAG.	ANG. (deg.)	MAG.	ANG. (deg.)	MAG.	ANG. (deg.)
0.1	0.639	-30.0	21.992	155.9	0.018	74.1	0.911	-17.8
0.2	0.565	-52.4	18.566	138.6	0.033	67.0	0.783	-31.2
0.3	0.463	-71.9	15.405	125.1	0.042	62.6	0.657	-39.7
0.4	0.393	-88.1	12.789	115.7	0.051	59.7	0.558	-44.9
0.5	0.340	-101.9	10.885	108.3	0.057	59.3	0.484	-48.0
0.6	0.302	-114.3	9.379	102.3	0.064	58.9	0.429	-50.1
0.7	0.276	-126.0	8.244	97.6	0.071	58.8	0.385	-51.4
0.8	0.258	-136.4	7.308	93.2	0.077	58.9	0.353	-52.6
0.9	0.246	-146.9	6.588	89.5	0.084	58.8	0.325	-53.7
1.0	0.237	-155.7	5.973	85.9	0.091	58.7	0.304	-54.7
1.1	0.237	-164.1	5.477	82.8	0.098	58.5	0.285	-55.8
1.2	0.239	-171.3	5.037	80.0	0.104	58.2	0.269	-57.1
1.3	0.239	-178.7	4.653	77.3	0.111	57.7	0.254	-58.4
1.4	0.246	-175.5	4.339	74.7	0.118	57.2	0.241	-60.1
1.5	0.256	-170.5	4.057	72.3	0.125	56.6	0.229	-61.9
1.6	0.261	-164.6	3.837	69.7	0.131	56.1	0.217	-64.0
1.7	0.271	-160.0	3.612	67.4	0.138	55.5	0.206	-66.1
1.8	0.282	-155.6	3.424	65.2	0.145	54.7	0.195	-68.3
1.9	0.287	-151.8	3.243	62.9	0.152	53.9	0.185	-70.8
2.0	0.299	-148.6	3.090	60.8	0.159	53.2	0.175	-73.4
2.1	0.307	-145.3	2.952	58.4	0.166	52.5	0.165	-76.5
2.2	0.314	-142.0	2.820	56.5	0.171	51.6	0.156	-79.6
2.3	0.325	-139.1	2.694	54.4	0.178	50.8	0.147	-83.3
2.4	0.335	-135.9	2.579	52.2	0.184	49.8	0.138	-87.4
2.5	0.343	-133.1	2.486	50.2	0.189	48.9	0.128	-92.1
2.6	0.347	-130.2	2.379	48.4	0.194	48.1	0.121	-96.0
2.7	0.355	-127.0	2.282	46.8	0.199	47.7	0.113	-99.6
2.8	0.354	-125.6	2.212	45.8	0.205	47.5	0.112	-101.7
2.9	0.361	-125.3	2.160	43.7	0.214	46.7	0.114	-106.3
3.0	0.373	-123.8	2.120	41.9	0.221	45.8	0.113	-112.6
4.0	0.478	-106.9	1.619	24.4	0.276	34.2	0.147	-173.7
5.0	0.561	-94.8	1.282	10.0	0.318	24.1	0.244	155.3

V<sub>CE</sub> = 1 V, I<sub>c</sub> = 20 mA, Z<sub>o</sub> = 50 Ω

Frequency (GHz)	S <sub>11</sub>		S <sub>21</sub>		S <sub>12</sub>		S <sub>22</sub>	
	MAG.	ANG. (deg.)	MAG.	ANG. (deg.)	MAG.	ANG. (deg.)	MAG.	ANG. (deg.)
0.1	0.457	-51.4	27.029	145.4	0.016	67.4	0.799	-25.2
0.2	0.382	-84.9	20.070	125.3	0.027	64.3	0.611	-38.8
0.3	0.320	-109.1	15.319	112.8	0.035	62.3	0.482	-44.3
0.4	0.292	-128.1	12.104	104.7	0.043	62.8	0.400	-46.4
0.5	0.273	-142.3	10.018	98.6	0.049	63.5	0.347	-46.9
0.6	0.268	-153.4	8.485	93.6	0.057	64.1	0.310	-46.9
0.7	0.267	-163.1	7.355	89.9	0.064	64.7	0.283	-47.0
0.8	0.267	-171.2	6.486	86.3	0.071	64.7	0.263	-47.2
0.9	0.272	-178.6	5.806	83.0	0.078	64.6	0.246	-47.6
1.0	0.273	-175.3	5.243	80.0	0.086	64.3	0.233	-48.1
1.1	0.280	-169.9	4.785	77.2	0.093	63.9	0.221	-49.1
1.2	0.287	-165.5	4.399	74.6	0.100	63.4	0.211	-50.0
1.3	0.295	-160.6	4.053	72.1	0.108	62.7	0.202	-51.3
1.4	0.303	-157.2	3.787	69.7	0.115	61.9	0.193	-53.1
1.5	0.315	-153.6	3.536	67.4	0.122	61.1	0.184	-55.3
1.6	0.323	-150.2	3.333	65.0	0.129	60.5	0.174	-57.5
1.7	0.329	-146.5	3.135	62.9	0.136	59.7	0.166	-59.8
1.8	0.341	-143.7	2.971	60.7	0.144	58.8	0.157	-62.2
1.9	0.349	-140.9	2.815	58.6	0.151	57.8	0.149	-65.0
2.0	0.358	-138.5	2.682	56.6	0.158	56.9	0.140	-68.0
2.1	0.367	-135.7	2.553	54.2	0.165	56.0	0.132	-71.6
2.2	0.373	-134.0	2.444	52.4	0.171	55.1	0.125	-75.5
2.3	0.383	-131.4	2.334	50.3	0.178	54.0	0.117	-79.7
2.4	0.392	-128.8	2.236	48.2	0.184	52.9	0.109	-84.9
2.5	0.402	-126.4	2.152	46.2	0.190	52.0	0.101	-90.0
2.6	0.406	-124.4	2.061	44.6	0.195	50.9	0.095	-95.5
2.7	0.410	-121.6	1.975	43.2	0.200	50.5	0.087	-99.9
2.8	0.411	-120.5	1.918	42.0	0.207	50.4	0.088	-101.9
2.9	0.418	-120.2	1.876	40.0	0.216	49.4	0.093	-108.2
3.0	0.426	-118.8	1.841	38.1	0.224	48.4	0.093	-116.3
4.0	0.523	-103.7	1.406	21.1	0.279	35.9	0.143	-179.0
5.0	0.596	-92.0	1.116	6.8	0.323	25.5	0.249	153.4

V<sub>CE</sub> = 2 V, I<sub>C</sub> = 1 mA, Z<sub>o</sub> = 50 Ω

Frequency (GHz)	S <sub>11</sub>		S <sub>21</sub>		S <sub>12</sub>		S <sub>22</sub>	
	MAG.	ANG. (deg.)	MAG.	ANG. (deg.)	MAG.	ANG. (deg.)	MAG.	ANG. (deg.)
0.1	0.957	-7.3	3.472	172.2	0.018	83.4	0.995	-3.7
0.2	0.954	-14.0	3.430	167.1	0.036	81.3	0.989	-7.3
0.3	0.932	-21.1	3.400	160.4	0.055	76.3	0.976	-10.8
0.4	0.908	-28.0	3.320	154.2	0.071	71.8	0.959	-14.3
0.5	0.877	-34.7	3.254	148.1	0.087	67.7	0.941	-17.6
0.6	0.847	-41.5	3.173	141.9	0.101	63.7	0.919	-20.9
0.7	0.813	-48.3	3.086	136.5	0.115	60.0	0.895	-24.0
0.8	0.780	-54.8	2.996	130.7	0.126	56.4	0.872	-26.9
0.9	0.743	-61.3	2.908	125.3	0.137	53.1	0.845	-29.6
1.0	0.706	-67.7	2.818	120.0	0.146	50.0	0.820	-32.3
1.1	0.669	-74.3	2.729	115.0	0.155	47.0	0.793	-34.8
1.2	0.637	-80.6	2.635	110.5	0.162	44.2	0.768	-36.9
1.3	0.601	-87.0	2.531	105.8	0.168	41.6	0.744	-39.1
1.4	0.571	-93.4	2.443	101.5	0.174	39.1	0.720	-41.3
1.5	0.544	-100.3	2.360	97.1	0.178	36.8	0.696	-43.2
1.6	0.517	-106.7	2.300	92.9	0.182	34.7	0.673	-45.2
1.7	0.493	-113.6	2.210	88.8	0.186	32.8	0.651	-47.0
1.8	0.471	-120.3	2.136	84.9	0.189	31.1	0.633	-48.7
1.9	0.453	-127.2	2.065	81.2	0.191	29.4	0.615	-50.5
2.0	0.438	-133.8	2.000	77.6	0.193	28.1	0.596	-52.0
2.1	0.423	-140.3	1.939	73.8	0.194	27.0	0.578	-53.6
2.2	0.413	-146.6	1.880	70.6	0.194	25.8	0.562	-55.3
2.3	0.403	-153.7	1.823	67.2	0.194	24.5	0.546	-56.8
2.4	0.394	-160.2	1.763	64.1	0.194	23.4	0.531	-58.4
2.5	0.389	-166.6	1.709	61.1	0.193	22.4	0.514	-60.2
2.6	0.383	-172.6	1.650	58.2	0.191	21.4	0.502	-61.8
2.7	0.373	-178.4	1.591	55.8	0.188	21.0	0.490	-63.1
2.8	0.368	177.9	1.554	54.0	0.185	21.9	0.487	-64.1
2.9	0.376	174.3	1.520	51.6	0.188	22.3	0.483	-65.8
3.0	0.379	169.8	1.497	49.0	0.191	22.4	0.472	-68.4
4.0	0.464	131.1	1.186	25.4	0.211	21.7	0.403	-92.9
5.0	0.549	108.5	0.948	6.5	0.245	22.0	0.390	-127.8

V<sub>CE</sub> = 2 V, I<sub>C</sub> = 3 mA, Z<sub>o</sub> = 50 Ω

Frequency (GHz)	S <sub>11</sub>		S <sub>21</sub>		S <sub>12</sub>		S <sub>22</sub>	
	MAG.	ANG. (deg.)	MAG.	ANG. (deg.)	MAG.	ANG. (deg.)	MAG.	ANG. (deg.)
0.1	0.883	-12.3	9.482	167.9	0.017	79.9	0.982	-7.2
0.2	0.845	-24.1	9.101	158.4	0.034	76.5	0.953	-13.9
0.3	0.794	-35.1	8.623	148.6	0.049	70.3	0.907	-19.9
0.4	0.734	-45.9	8.047	140.0	0.062	65.2	0.855	-25.2
0.5	0.674	-55.5	7.500	132.1	0.072	60.9	0.801	-29.5
0.6	0.616	-64.6	6.932	124.9	0.081	57.4	0.749	-33.1
0.7	0.560	-73.1	6.428	118.8	0.089	54.7	0.700	-36.4
0.8	0.508	-81.2	5.945	112.9	0.095	52.5	0.659	-38.9
0.9	0.463	-89.0	5.529	107.8	0.101	50.8	0.620	-41.0
1.0	0.424	-96.6	5.137	102.9	0.107	49.5	0.586	-43.1
1.1	0.392	-104.3	4.825	98.5	0.112	48.3	0.556	-44.8
1.2	0.363	-111.8	4.503	94.6	0.116	47.3	0.528	-46.3
1.3	0.337	-119.4	4.217	90.9	0.121	46.5	0.503	-47.7
1.4	0.319	-127.2	3.976	87.4	0.125	45.7	0.482	-49.2
1.5	0.308	-135.0	3.754	84.0	0.130	45.0	0.462	-50.6
1.6	0.293	-142.7	3.579	80.8	0.134	44.6	0.441	-51.9
1.7	0.283	-150.6	3.389	77.8	0.139	44.0	0.424	-53.4
1.8	0.280	-158.3	3.228	74.8	0.143	43.5	0.409	-54.5
1.9	0.279	-165.3	3.073	72.1	0.148	43.2	0.394	-55.9
2.0	0.278	-171.6	2.942	69.4	0.152	42.9	0.379	-57.1
2.1	0.279	-177.9	2.823	66.5	0.156	42.6	0.365	-58.6
2.2	0.281	176.2	2.709	64.1	0.160	42.1	0.352	-60.2
2.3	0.286	170.2	2.599	61.6	0.164	41.7	0.338	-61.7
2.4	0.292	164.7	2.499	59.1	0.167	41.2	0.325	-63.3
2.5	0.296	158.8	2.406	56.7	0.171	40.7	0.312	-64.9
2.6	0.300	154.3	2.309	54.4	0.174	40.1	0.301	-66.4
2.7	0.302	149.2	2.218	52.6	0.176	40.2	0.290	-67.5
2.8	0.301	146.9	2.156	51.2	0.180	40.9	0.288	-68.1
2.9	0.310	145.5	2.105	49.1	0.186	40.8	0.286	-70.2
3.0	0.319	142.4	2.066	47.0	0.193	40.4	0.277	-73.1
4.0	0.430	116.9	1.595	27.2	0.242	33.1	0.214	-106.7
5.0	0.525	100.8	1.278	10.6	0.286	25.8	0.224	-151.6

V<sub>CE</sub> = 2 V, I<sub>c</sub> = 5 mA, Z<sub>o</sub> = 50 Ω

Frequency (GHz)	S <sub>11</sub>		S <sub>21</sub>		S <sub>12</sub>		S <sub>22</sub>	
	MAG.	ANG. (deg.)	MAG.	ANG. (deg.)	MAG.	ANG. (deg.)	MAG.	ANG. (deg.)
0.1	0.798	-16.1	14.241	164.4	0.016	77.7	0.967	-9.9
0.2	0.759	-32.2	13.202	152.1	0.032	73.3	0.911	-18.7
0.3	0.678	-45.7	12.011	140.4	0.044	67.2	0.837	-25.8
0.4	0.601	-57.9	10.754	130.8	0.054	62.4	0.761	-31.2
0.5	0.531	-68.5	9.663	122.7	0.063	59.4	0.694	-35.4
0.6	0.468	-78.4	8.647	115.6	0.070	57.2	0.635	-38.4
0.7	0.414	-87.8	7.815	110.0	0.076	55.7	0.584	-40.6
0.8	0.372	-96.3	7.086	104.6	0.082	54.8	0.543	-42.4
0.9	0.335	-105.1	6.475	99.9	0.087	54.0	0.508	-43.8
1.0	0.305	-113.2	5.944	95.6	0.092	53.6	0.478	-45.1
1.1	0.281	-121.7	5.494	92.0	0.098	53.1	0.452	-46.3
1.2	0.263	-130.2	5.102	88.7	0.103	52.8	0.430	-47.4
1.3	0.248	-138.9	4.739	85.3	0.108	52.5	0.410	-48.4
1.4	0.239	-146.8	4.439	82.3	0.114	52.2	0.392	-49.6
1.5	0.239	-155.3	4.167	79.5	0.119	51.7	0.377	-50.8
1.6	0.234	-163.6	3.958	76.6	0.124	51.5	0.361	-52.1
1.7	0.234	-170.7	3.734	74.0	0.130	51.1	0.346	-53.3
1.8	0.238	-177.2	3.548	71.4	0.136	50.7	0.333	-54.6
1.9	0.242	176.1	3.373	68.9	0.141	50.2	0.321	-56.0
2.0	0.251	170.7	3.220	66.4	0.147	49.7	0.308	-57.3
2.1	0.253	165.4	3.081	63.8	0.152	49.4	0.295	-58.8
2.2	0.262	160.6	2.949	61.8	0.157	49.0	0.283	-60.5
2.3	0.269	155.2	2.823	59.5	0.162	48.2	0.272	-62.2
2.4	0.277	150.7	2.705	57.2	0.167	47.5	0.260	-64.0
2.5	0.286	146.6	2.606	55.0	0.172	46.9	0.248	-65.8
2.6	0.289	142.7	2.502	53.0	0.176	46.3	0.238	-67.4
2.7	0.293	138.1	2.402	51.3	0.179	46.1	0.227	-68.4
2.8	0.294	136.2	2.328	50.1	0.184	46.4	0.226	-69.2
2.9	0.302	135.5	2.272	48.2	0.192	46.0	0.225	-71.6
3.0	0.314	133.1	2.231	46.2	0.200	45.5	0.217	-75.0
4.0	0.424	112.5	1.716	27.6	0.252	35.9	0.164	-117.4
5.0	0.520	98.9	1.371	12.0	0.297	27.0	0.197	-167.2

V<sub>CE</sub> = 2 V, I<sub>c</sub> = 7 mA, Z<sub>o</sub> = 50 Ω

Frequency (GHz)	S <sub>11</sub>		S <sub>21</sub>		S <sub>12</sub>		S <sub>22</sub>	
	MAG.	ANG. (deg.)	MAG.	ANG. (deg.)	MAG.	ANG. (deg.)	MAG.	ANG. (deg.)
0.1	0.738	-19.7	17.973	161.3	0.016	81.6	0.952	-12.2
0.2	0.679	-38.0	16.180	147.0	0.030	72.4	0.872	-22.2
0.3	0.585	-53.6	14.255	134.4	0.041	66.2	0.777	-29.5
0.4	0.501	-66.6	12.357	124.7	0.049	62.1	0.691	-34.6
0.5	0.437	-78.2	10.826	116.8	0.057	59.7	0.618	-38.1
0.6	0.378	-88.4	9.532	110.0	0.063	58.6	0.560	-40.3
0.7	0.333	-98.2	8.481	104.9	0.069	58.3	0.514	-41.9
0.8	0.298	-107.6	7.618	99.9	0.075	57.8	0.477	-43.1
0.9	0.268	-116.9	6.915	95.8	0.081	57.5	0.446	-44.1
1.0	0.246	-125.5	6.306	91.9	0.086	57.5	0.421	-45.0
1.1	0.230	-135.3	5.803	88.5	0.092	57.0	0.400	-46.0
1.2	0.220	-144.5	5.372	85.4	0.098	56.8	0.381	-46.8
1.3	0.211	-152.6	4.975	82.5	0.104	56.5	0.364	-47.8
1.4	0.212	-160.8	4.649	79.6	0.110	56.1	0.350	-48.8
1.5	0.213	-168.6	4.350	77.1	0.116	55.7	0.336	-50.1
1.6	0.215	-176.3	4.122	74.5	0.121	55.4	0.322	-51.3
1.7	0.220	177.0	3.887	71.9	0.127	54.9	0.309	-52.6
1.8	0.226	170.6	3.690	69.5	0.134	54.3	0.297	-53.9
1.9	0.233	165.6	3.507	67.2	0.140	53.9	0.285	-55.2
2.0	0.241	160.9	3.339	64.9	0.146	53.3	0.273	-56.5
2.1	0.250	155.7	3.196	62.5	0.152	52.8	0.262	-58.3
2.2	0.254	151.9	3.057	60.6	0.157	52.2	0.251	-60.0
2.3	0.265	147.8	2.922	58.4	0.162	51.4	0.241	-61.9
2.4	0.276	143.7	2.804	56.1	0.168	50.6	0.229	-63.9
2.5	0.285	139.9	2.699	54.1	0.173	49.8	0.218	-65.8
2.6	0.291	136.9	2.586	52.4	0.178	49.0	0.208	-67.6
2.7	0.294	132.7	2.479	50.8	0.181	48.8	0.197	-68.5
2.8	0.294	131.4	2.405	49.7	0.187	49.0	0.197	-69.2
2.9	0.301	131.1	2.351	47.7	0.195	48.4	0.196	-72.1
3.0	0.313	129.0	2.306	45.9	0.203	47.7	0.189	-76.0
4.0	0.427	110.5	1.774	27.8	0.257	37.1	0.144	-124.7
5.0	0.521	97.7	1.411	12.5	0.303	27.6	0.191	-175.6

V<sub>CE</sub> = 2 V, I<sub>c</sub> = 10 mA, Z<sub>o</sub> = 50 Ω

Frequency (GHz)	S <sub>11</sub>		S <sub>21</sub>		S <sub>12</sub>		S <sub>22</sub>	
	MAG.	ANG. (deg.)	MAG.	ANG. (deg.)	MAG.	ANG. (deg.)	MAG.	ANG. (deg.)
0.1	0.668	-24.3	22.264	157.9	0.016	76.4	0.932	-14.6
0.2	0.590	-45.9	19.222	141.5	0.028	70.3	0.823	-25.7
0.3	0.486	-62.4	16.245	128.4	0.037	65.2	0.711	-32.9
0.4	0.407	-76.7	13.671	118.7	0.044	62.8	0.619	-37.1
0.5	0.345	-88.8	11.735	111.2	0.051	61.7	0.549	-39.5
0.6	0.298	-100.2	10.178	105.1	0.057	61.3	0.496	-41.0
0.7	0.262	-110.7	8.949	100.4	0.064	61.2	0.454	-41.9
0.8	0.235	-120.6	7.982	95.9	0.070	61.1	0.423	-42.5
0.9	0.215	-131.2	7.200	92.1	0.076	61.1	0.397	-43.1
1.0	0.202	-140.9	6.546	88.6	0.082	61.1	0.376	-43.7
1.1	0.195	-150.3	6.005	85.5	0.088	60.9	0.358	-44.4
1.2	0.193	-158.7	5.531	82.7	0.094	60.5	0.342	-45.2
1.3	0.190	-167.6	5.118	79.9	0.101	60.2	0.329	-46.1
1.4	0.194	-174.1	4.770	77.4	0.107	59.7	0.316	-47.2
1.5	0.205	178.6	4.469	75.0	0.113	59.2	0.304	-48.6
1.6	0.207	171.4	4.230	72.6	0.120	58.8	0.291	-49.8
1.7	0.214	166.1	3.987	70.1	0.126	58.3	0.280	-51.0
1.8	0.222	160.9	3.782	68.0	0.133	57.6	0.269	-52.4
1.9	0.232	156.2	3.587	65.7	0.139	56.8	0.259	-53.9
2.0	0.243	152.4	3.420	63.7	0.146	56.2	0.248	-55.3
2.1	0.250	148.5	3.264	61.3	0.152	55.5	0.237	-57.3
2.2	0.259	145.3	3.126	59.4	0.157	54.8	0.227	-59.2
2.3	0.270	141.6	2.988	57.3	0.164	53.9	0.218	-61.1
2.4	0.279	138.7	2.865	55.2	0.169	52.9	0.206	-63.4
2.5	0.290	134.9	2.751	53.2	0.175	52.0	0.194	-65.6
2.6	0.297	131.7	2.635	51.4	0.179	50.9	0.183	-67.6
2.7	0.300	127.3	2.521	49.9	0.182	50.7	0.171	-67.8
2.8	0.294	126.7	2.447	49.1	0.188	51.2	0.174	-67.6
2.9	0.304	126.7	2.401	47.2	0.198	50.4	0.176	-71.6
3.0	0.319	125.3	2.355	45.3	0.206	49.5	0.169	-76.2
4.0	0.427	108.6	1.801	27.5	0.260	38.0	0.130	-130.8
5.0	0.521	96.8	1.439	12.8	0.306	28.2	0.190	178.1

V<sub>CE</sub> = 2 V, I<sub>c</sub> = 20 mA, Z<sub>o</sub> = 50 Ω

Frequency (GHz)	S <sub>11</sub>		S <sub>21</sub>		S <sub>12</sub>		S <sub>22</sub>	
	MAG.	ANG. (deg.)	MAG.	ANG. (deg.)	MAG.	ANG. (deg.)	MAG.	ANG. (deg.)
0.1	0.503	-36.5	29.728	149.9	0.013	74.0	0.871	-19.4
0.2	0.396	-65.0	23.339	130.9	0.024	69.3	0.710	-31.0
0.3	0.316	-85.6	18.324	118.0	0.031	66.6	0.585	-36.0
0.4	0.263	-102.3	14.692	109.5	0.038	66.8	0.501	-37.9
0.5	0.226	-117.1	12.253	103.0	0.044	66.5	0.445	-38.3
0.6	0.203	-130.4	10.446	97.8	0.051	66.7	0.406	-38.3
0.7	0.193	-142.6	9.086	93.8	0.057	67.4	0.377	-38.1
0.8	0.188	-152.9	8.028	90.1	0.064	67.4	0.356	-38.1
0.9	0.183	-163.3	7.195	86.8	0.071	67.1	0.339	-38.3
1.0	0.184	-171.2	6.511	83.7	0.077	66.9	0.325	-38.6
1.1	0.187	-179.4	5.959	81.1	0.084	66.5	0.313	-39.1
1.2	0.192	175.2	5.473	78.5	0.091	65.9	0.302	-39.8
1.3	0.199	168.7	5.056	76.1	0.098	65.3	0.292	-40.7
1.4	0.205	164.0	4.701	73.9	0.104	64.6	0.283	-41.9
1.5	0.216	159.7	4.403	71.6	0.111	63.9	0.273	-43.3
1.6	0.228	154.6	4.153	69.3	0.118	63.3	0.263	-44.7
1.7	0.236	150.9	3.909	67.2	0.124	62.6	0.253	-46.1
1.8	0.246	147.3	3.708	65.1	0.131	61.7	0.244	-47.5
1.9	0.256	144.0	3.511	63.2	0.138	60.8	0.236	-49.1
2.0	0.266	141.8	3.350	61.2	0.145	59.9	0.226	-50.7
2.1	0.276	138.5	3.195	58.9	0.152	59.1	0.216	-52.8
2.2	0.280	136.5	3.059	57.2	0.157	58.2	0.207	-54.8
2.3	0.295	133.1	2.921	55.2	0.164	57.1	0.198	-56.9
2.4	0.303	130.8	2.799	53.1	0.170	56.1	0.187	-59.2
2.5	0.313	128.5	2.693	51.3	0.176	55.1	0.176	-61.5
2.6	0.320	125.7	2.578	49.6	0.180	54.1	0.166	-63.5
2.7	0.324	122.4	2.468	48.1	0.184	53.7	0.156	-63.7
2.8	0.321	121.4	2.396	47.4	0.190	53.9	0.159	-64.5
2.9	0.330	122.0	2.345	45.3	0.200	52.9	0.160	-68.7
3.0	0.340	120.9	2.302	43.6	0.208	52.0	0.153	-73.6
4.0	0.446	106.4	1.765	26.5	0.264	39.9	0.118	-133.8
5.0	0.539	95.2	1.404	11.9	0.310	29.3	0.187	174.7

V<sub>CE</sub> = 3 V, I<sub>c</sub> = 1 mA, Z<sub>o</sub> = 50 Ω

Frequency (GHz)	S <sub>11</sub>		S <sub>21</sub>		S <sub>12</sub>		S <sub>22</sub>	
	MAG.	ANG. (deg.)	MAG.	ANG. (deg.)	MAG.	ANG. (deg.)	MAG.	ANG. (deg.)
0.1	0.959	-6.5	3.440	172.2	0.017	84.9	0.996	-3.4
0.2	0.952	-13.3	3.397	167.5	0.035	81.2	0.990	-6.8
0.3	0.934	-20.5	3.367	160.8	0.050	77.0	0.978	-10.1
0.4	0.908	-26.9	3.289	154.9	0.066	72.6	0.962	-13.5
0.5	0.886	-33.5	3.229	149.1	0.081	68.6	0.947	-16.5
0.6	0.851	-40.2	3.156	142.8	0.095	64.7	0.926	-19.5
0.7	0.818	-46.7	3.073	137.6	0.107	61.0	0.904	-22.4
0.8	0.786	-53.0	2.988	131.9	0.119	57.6	0.882	-25.2
0.9	0.751	-59.4	2.904	126.6	0.129	54.5	0.857	-27.8
1.0	0.715	-65.6	2.817	121.4	0.137	51.3	0.834	-30.4
1.1	0.679	-72.0	2.734	116.5	0.146	48.4	0.809	-32.7
1.2	0.646	-78.2	2.643	112.0	0.153	45.7	0.786	-34.8
1.3	0.610	-84.5	2.544	107.3	0.159	43.1	0.762	-36.8
1.4	0.581	-90.7	2.461	102.9	0.164	40.6	0.739	-38.9
1.5	0.553	-97.5	2.384	98.6	0.169	38.4	0.717	-40.8
1.6	0.523	-103.7	2.320	94.6	0.173	36.4	0.696	-42.7
1.7	0.499	-110.4	2.237	90.4	0.177	34.4	0.675	-44.5
1.8	0.475	-117.1	2.159	86.5	0.179	32.8	0.657	-46.1
1.9	0.458	-123.6	2.091	82.7	0.182	31.1	0.639	-47.6
2.0	0.440	-130.6	2.025	79.2	0.184	29.8	0.621	-49.2
2.1	0.425	-137.1	1.972	75.3	0.185	28.8	0.603	-50.8
2.2	0.412	-143.0	1.908	72.3	0.185	27.6	0.587	-52.3
2.3	0.400	-150.6	1.850	68.9	0.186	26.4	0.571	-53.8
2.4	0.391	-157.0	1.791	65.7	0.185	25.2	0.557	-55.4
2.5	0.384	-163.7	1.738	62.5	0.185	24.1	0.543	-56.9
2.6	0.375	-169.8	1.677	59.7	0.184	23.0	0.528	-58.5
2.7	0.361	-175.8	1.612	57.1	0.180	22.7	0.516	-59.6
2.8	0.357	-178.9	1.573	55.5	0.176	23.9	0.516	-60.6
2.9	0.365	177.6	1.542	53.0	0.180	24.4	0.512	-62.1
3.0	0.370	172.0	1.519	50.3	0.183	24.6	0.500	-64.6
4.0	0.446	132.0	1.203	26.9	0.205	24.1	0.431	-88.0
5.0	0.526	109.6	0.967	8.1	0.241	24.0	0.411	-121.8

V<sub>CE</sub> = 3 V, I<sub>c</sub> = 3 mA, Z<sub>o</sub> = 50 Ω

Frequency (GHz)	S <sub>11</sub>		S <sub>21</sub>		S <sub>12</sub>		S <sub>22</sub>	
	MAG.	ANG. (deg.)	MAG.	ANG. (deg.)	MAG.	ANG. (deg.)	MAG.	ANG. (deg.)
0.1	0.873	-11.4	9.469	168.4	0.016	83.4	0.983	-6.6
0.2	0.855	-23.0	9.072	159.1	0.032	77.1	0.956	-12.9
0.3	0.801	-34.0	8.645	149.4	0.046	71.3	0.914	-18.5
0.4	0.742	-43.8	8.074	141.0	0.058	66.2	0.864	-23.4
0.5	0.683	-53.0	7.553	133.2	0.068	61.8	0.814	-27.6
0.6	0.624	-61.9	7.004	126.0	0.077	58.6	0.766	-31.1
0.7	0.569	-70.1	6.508	120.1	0.084	55.9	0.720	-33.9
0.8	0.519	-78.0	6.031	114.1	0.091	53.8	0.680	-36.4
0.9	0.472	-85.5	5.613	109.0	0.096	52.1	0.643	-38.4
1.0	0.431	-92.8	5.234	104.1	0.102	50.6	0.610	-40.3
1.1	0.396	-100.2	4.907	99.9	0.107	49.5	0.581	-41.8
1.2	0.366	-107.5	4.597	95.9	0.111	48.5	0.554	-43.2
1.3	0.337	-115.1	4.307	92.1	0.116	47.8	0.530	-44.6
1.4	0.319	-122.4	4.054	88.7	0.120	46.9	0.507	-45.8
1.5	0.302	-130.4	3.841	85.3	0.124	46.3	0.489	-47.1
1.6	0.286	-137.9	3.664	82.1	0.128	45.9	0.470	-48.5
1.7	0.279	-145.8	3.473	79.0	0.133	45.4	0.454	-49.8
1.8	0.270	-153.5	3.305	76.0	0.137	45.0	0.438	-50.8
1.9	0.266	-160.7	3.152	73.3	0.142	44.5	0.423	-52.0
2.0	0.266	-168.1	3.020	70.6	0.146	44.3	0.409	-53.2
2.1	0.264	-174.7	2.892	67.6	0.150	44.0	0.394	-54.5
2.2	0.268	179.9	2.779	65.3	0.154	43.6	0.382	-55.9
2.3	0.269	173.2	2.668	62.8	0.158	43.2	0.369	-57.3
2.4	0.275	167.1	2.564	60.2	0.161	42.6	0.356	-58.8
2.5	0.278	161.5	2.469	57.8	0.165	42.1	0.343	-60.2
2.6	0.281	156.0	2.370	55.5	0.168	41.7	0.332	-61.5
2.7	0.282	151.1	2.274	53.7	0.170	41.7	0.320	-62.1
2.8	0.279	148.4	2.209	52.5	0.173	42.6	0.320	-62.8
2.9	0.290	147.2	2.158	50.3	0.180	42.5	0.319	-64.6
3.0	0.300	144.0	2.118	48.2	0.187	42.2	0.310	-67.3
4.0	0.407	117.6	1.638	28.4	0.235	34.8	0.240	-97.5
5.0	0.496	102.2	1.312	12.1	0.280	27.5	0.231	-140.8

V<sub>CE</sub> = 3 V, I<sub>c</sub> = 5 mA, Z<sub>o</sub> = 50 Ω

Frequency (GHz)	S <sub>11</sub>		S <sub>21</sub>		S <sub>12</sub>		S <sub>22</sub>	
	MAG.	ANG. (deg.)	MAG.	ANG. (deg.)	MAG.	ANG. (deg.)	MAG.	ANG. (deg.)
0.1	0.814	-16.1	14.203	164.8	0.015	81.6	0.970	-9.2
0.2	0.769	-30.5	13.198	152.8	0.030	74.7	0.918	-17.4
0.3	0.685	-43.5	12.084	141.3	0.042	68.3	0.849	-24.0
0.4	0.611	-55.3	10.862	131.9	0.051	63.7	0.778	-29.1
0.5	0.544	-65.4	9.785	123.8	0.059	60.7	0.712	-32.8
0.6	0.477	-74.8	8.798	116.8	0.066	58.3	0.655	-35.7
0.7	0.423	-83.8	7.960	111.1	0.072	56.8	0.607	-37.7
0.8	0.378	-91.8	7.237	105.8	0.078	55.9	0.568	-39.3
0.9	0.337	-100.3	6.628	101.2	0.083	55.2	0.533	-40.9
1.0	0.306	-108.2	6.085	96.9	0.088	54.7	0.504	-41.9
1.1	0.279	-116.3	5.645	93.1	0.094	54.3	0.480	-42.9
1.2	0.258	-124.6	5.231	89.6	0.099	53.9	0.458	-43.9
1.3	0.242	-132.9	4.861	86.4	0.104	53.6	0.439	-44.8
1.4	0.232	-140.9	4.564	83.4	0.109	53.3	0.421	-45.9
1.5	0.228	-149.6	4.282	80.5	0.114	52.9	0.405	-47.1
1.6	0.221	-157.6	4.071	77.7	0.120	52.6	0.391	-48.3
1.7	0.221	-166.2	3.842	75.0	0.125	52.3	0.376	-49.4
1.8	0.221	-173.7	3.653	72.4	0.131	51.8	0.363	-50.5
1.9	0.225	179.7	3.473	70.0	0.136	51.5	0.351	-51.6
2.0	0.229	173.8	3.316	67.5	0.141	51.0	0.338	-52.8
2.1	0.236	168.4	3.172	65.0	0.147	50.7	0.327	-54.2
2.2	0.240	163.0	3.040	62.9	0.151	50.2	0.315	-55.7
2.3	0.248	157.3	2.913	60.6	0.157	49.5	0.304	-57.2
2.4	0.258	152.5	2.793	58.3	0.162	48.8	0.292	-58.8
2.5	0.264	147.7	2.687	56.1	0.166	48.2	0.280	-60.3
2.6	0.269	143.7	2.580	54.2	0.170	47.4	0.269	-61.7
2.7	0.270	138.9	2.472	52.6	0.173	47.3	0.258	-62.5
2.8	0.270	137.4	2.401	51.4	0.178	47.6	0.258	-63.0
2.9	0.279	136.4	2.342	49.4	0.186	47.2	0.257	-65.5
3.0	0.293	134.2	2.302	47.5	0.194	46.6	0.248	-68.6
4.0	0.401	112.8	1.768	28.9	0.246	37.0	0.185	-105.2
5.0	0.494	99.8	1.413	13.4	0.291	28.2	0.194	-155.2

V<sub>CE</sub> = 3 V, I<sub>c</sub> = 7 mA, Z<sub>o</sub> = 50 Ω

Frequency (GHz)	S <sub>11</sub>		S <sub>21</sub>		S <sub>12</sub>		S <sub>22</sub>	
	MAG.	ANG. (deg.)	MAG.	ANG. (deg.)	MAG.	ANG. (deg.)	MAG.	ANG. (deg.)
0.1	0.748	-19.7	17.954	161.9	0.015	80.1	0.956	-11.2
0.2	0.689	-36.3	16.223	148.0	0.028	73.1	0.883	-20.6
0.3	0.602	-50.6	14.364	135.6	0.039	66.9	0.795	-27.5
0.4	0.516	-62.8	12.538	125.9	0.047	62.9	0.711	-32.2
0.5	0.448	-74.0	11.028	118.0	0.054	60.8	0.640	-35.4
0.6	0.388	-83.9	9.737	111.3	0.060	59.6	0.585	-37.5
0.7	0.338	-93.2	8.687	106.1	0.066	59.1	0.540	-38.9
0.8	0.300	-101.6	7.815	101.2	0.072	58.7	0.503	-40.0
0.9	0.267	-110.5	7.097	96.9	0.077	58.5	0.474	-40.9
1.0	0.242	-119.1	6.487	93.1	0.083	58.1	0.449	-41.7
1.1	0.223	-128.4	5.973	89.6	0.089	58.1	0.428	-42.5
1.2	0.213	-137.0	5.528	86.3	0.094	57.7	0.409	-43.1
1.3	0.202	-146.1	5.117	83.5	0.100	57.5	0.394	-44.0
1.4	0.197	-154.4	4.780	80.8	0.106	57.1	0.379	-45.0
1.5	0.199	-163.3	4.483	78.1	0.111	56.7	0.365	-46.1
1.6	0.195	-171.6	4.244	75.5	0.117	56.5	0.352	-47.3
1.7	0.199	-179.1	4.011	73.0	0.123	56.0	0.339	-48.4
1.8	0.207	174.1	3.808	70.6	0.129	55.5	0.327	-49.5
1.9	0.211	167.8	3.617	68.2	0.135	54.9	0.317	-50.8
2.0	0.221	163.0	3.451	65.9	0.141	54.5	0.305	-51.9
2.1	0.227	157.8	3.296	63.5	0.146	54.0	0.293	-53.6
2.2	0.232	154.1	3.159	61.5	0.152	53.3	0.283	-55.2
2.3	0.244	149.2	3.025	59.4	0.157	52.4	0.273	-56.7
2.4	0.253	145.3	2.896	57.2	0.163	51.7	0.261	-58.4
2.5	0.261	141.1	2.790	55.1	0.167	51.0	0.249	-59.9
2.6	0.265	137.3	2.673	53.5	0.172	50.2	0.239	-61.4
2.7	0.270	132.8	2.564	51.8	0.176	49.8	0.229	-62.3
2.8	0.270	131.1	2.485	50.8	0.181	50.1	0.229	-62.9
2.9	0.279	131.1	2.427	48.8	0.189	49.5	0.228	-65.5
3.0	0.288	128.9	2.380	46.9	0.197	48.7	0.220	-68.9
4.0	0.399	110.9	1.828	29.1	0.251	38.3	0.161	-110.6
5.0	0.490	98.6	1.460	13.8	0.296	28.6	0.183	-163.8



V<sub>CE</sub> = 3 V, I<sub>c</sub> = 10 mA, Z<sub>o</sub> = 50 Ω

Frequency (GHz)	S <sub>11</sub>		S <sub>21</sub>		S <sub>12</sub>		S <sub>22</sub>	
	MAG.	ANG. (deg.)	MAG.	ANG. (deg.)	MAG.	ANG. (deg.)	MAG.	ANG. (deg.)
0.1	0.688	-23.3	22.283	158.5	0.014	79.2	0.938	-13.5
0.2	0.597	-42.7	19.400	142.6	0.026	70.3	0.837	-23.9
0.3	0.505	-58.7	16.494	129.6	0.035	66.0	0.730	-30.6
0.4	0.418	-72.1	13.956	120.0	0.043	63.9	0.641	-34.6
0.5	0.354	-83.3	12.029	112.5	0.049	62.6	0.573	-36.8
0.6	0.303	-93.5	10.453	106.3	0.055	62.1	0.522	-38.1
0.7	0.263	-103.9	9.233	101.6	0.061	62.1	0.481	-38.9
0.8	0.235	-113.5	8.223	97.0	0.067	62.1	0.450	-39.6
0.9	0.211	-123.8	7.438	93.2	0.073	61.9	0.424	-40.1
1.0	0.195	-132.7	6.753	89.6	0.079	61.9	0.404	-40.6
1.1	0.181	-143.1	6.211	86.6	0.085	61.6	0.386	-41.2
1.2	0.177	-151.3	5.726	83.7	0.091	61.3	0.371	-41.8
1.3	0.173	-161.2	5.289	81.0	0.097	61.0	0.357	-42.7
1.4	0.174	-169.3	4.933	78.3	0.103	60.5	0.345	-43.6
1.5	0.183	-176.7	4.625	75.9	0.109	60.1	0.333	-44.7
1.6	0.184	175.2	4.376	73.6	0.116	59.6	0.321	-45.9
1.7	0.192	169.3	4.122	71.3	0.122	59.2	0.310	-47.1
1.8	0.200	163.8	3.915	69.0	0.128	58.4	0.300	-48.3
1.9	0.208	159.0	3.715	67.0	0.135	57.8	0.290	-49.6
2.0	0.217	154.5	3.542	64.8	0.141	57.1	0.279	-50.9
2.1	0.224	150.0	3.385	62.5	0.147	56.6	0.268	-52.4
2.2	0.232	146.0	3.237	60.7	0.153	55.8	0.259	-54.1
2.3	0.243	142.2	3.095	58.5	0.158	54.8	0.248	-55.8
2.4	0.255	139.0	2.968	56.5	0.164	54.0	0.237	-57.6
2.5	0.263	135.6	2.855	54.5	0.169	53.1	0.226	-59.4
2.6	0.269	132.4	2.739	52.9	0.174	52.2	0.216	-60.9
2.7	0.275	127.8	2.624	51.4	0.178	51.9	0.206	-61.6
2.8	0.274	127.1	2.543	50.3	0.184	51.9	0.206	-62.3
2.9	0.282	127.2	2.483	48.5	0.192	51.3	0.206	-65.2
3.0	0.290	125.6	2.434	46.6	0.200	50.4	0.197	-69.0
4.0	0.401	109.1	1.868	29.2	0.254	39.1	0.143	-115.7
5.0	0.493	97.7	1.490	14.4	0.299	29.2	0.178	-171.0

V<sub>CE</sub> = 3 V, I<sub>c</sub> = 20 mA, Z<sub>o</sub> = 50 Ω

Frequency (GHz)	S <sub>11</sub>		S <sub>21</sub>		S <sub>12</sub>		S <sub>22</sub>	
	MAG.	ANG. (deg.)	MAG.	ANG. (deg.)	MAG.	ANG. (deg.)	MAG.	ANG. (deg.)
0.1	0.520	-33.1	30.236	151.1	0.013	79.6	0.885	-18.0
0.2	0.420	-59.2	24.043	132.4	0.022	69.4	0.733	-28.9
0.3	0.330	-77.6	19.027	119.6	0.030	68.5	0.612	-33.8
0.4	0.265	-92.4	15.371	110.8	0.036	67.2	0.528	-35.7
0.5	0.221	-106.8	12.856	104.4	0.043	67.6	0.473	-36.0
0.6	0.195	-119.6	10.974	99.1	0.049	67.5	0.434	-36.0
0.7	0.176	-131.4	9.567	95.1	0.055	68.0	0.405	-35.8
0.8	0.167	-142.4	8.457	91.4	0.062	68.0	0.383	-35.9
0.9	0.158	-153.7	7.585	88.1	0.068	68.0	0.366	-36.0
1.0	0.155	-163.2	6.875	85.0	0.075	67.6	0.352	-36.3
1.1	0.157	-172.6	6.291	82.3	0.081	67.0	0.340	-36.8
1.2	0.160	-179.8	5.782	79.9	0.088	66.7	0.329	-37.3
1.3	0.167	172.4	5.332	77.5	0.095	65.9	0.320	-38.2
1.4	0.174	167.6	4.965	75.3	0.101	65.2	0.310	-39.4
1.5	0.187	162.1	4.645	73.0	0.107	64.7	0.300	-40.8
1.6	0.194	157.3	4.383	70.8	0.114	64.1	0.290	-41.9
1.7	0.203	152.3	4.137	68.6	0.121	63.3	0.281	-43.1
1.8	0.212	148.6	3.925	66.6	0.128	62.5	0.271	-44.5
1.9	0.223	145.5	3.721	64.4	0.134	61.5	0.263	-46.0
2.0	0.233	142.3	3.546	62.4	0.141	60.6	0.254	-47.5
2.1	0.243	139.5	3.381	60.3	0.147	59.9	0.244	-49.2
2.2	0.248	136.7	3.243	58.5	0.153	58.9	0.235	-50.9
2.3	0.261	134.2	3.098	56.5	0.159	57.9	0.225	-52.9
2.4	0.272	131.5	2.969	54.6	0.165	56.8	0.214	-54.9
2.5	0.283	128.5	2.857	52.5	0.171	55.8	0.201	-57.1
2.6	0.289	125.3	2.722	50.8	0.175	54.5	0.189	-58.7
2.7	0.293	120.7	2.592	49.5	0.177	54.1	0.176	-57.4
2.8	0.282	120.7	2.529	49.4	0.184	55.2	0.187	-56.8
2.9	0.295	122.3	2.489	47.2	0.195	54.1	0.189	-62.1
3.0	0.308	120.7	2.437	45.2	0.203	52.9	0.179	-66.7
4.0	0.415	106.8	1.863	28.3	0.257	40.8	0.126	-118.7
5.0	0.505	96.3	1.488	13.7	0.304	30.2	0.173	-176.5

**S-PARAMETERS Q2**

V<sub>CE</sub> = 1 V, I<sub>C</sub> = 1 mA, Z<sub>0</sub> = 50 Ω

Frequency (GHz)	S <sub>11</sub>		S <sub>21</sub>		S <sub>12</sub>		S <sub>22</sub>	
	MAG.	ANG. (deg.)	MAG.	ANG. (deg.)	MAG.	ANG. (deg.)	MAG.	ANG. (deg.)
0.1	0.991	-19.4	3.621	166.8	0.048	87.1	0.999	-8.5
0.2	0.984	-39.3	3.495	152.7	0.088	63.3	0.962	-15.4
0.3	0.946	-58.5	3.218	139.1	0.122	56.7	0.924	-22.5
0.4	0.896	-76.2	2.924	126.8	0.152	46.4	0.872	-28.3
0.5	0.851	-91.2	2.618	116.8	0.175	38.8	0.818	-33.2
0.6	0.816	-103.4	2.358	108.8	0.183	33.1	0.766	-37.2
0.7	0.790	-114.1	2.147	101.5	0.193	27.5	0.724	-40.7
0.8	0.787	-123.4	1.993	95.4	0.195	22.7	0.682	-43.6
0.9	0.774	-132.4	1.841	88.8	0.197	19.1	0.652	-46.3
1.0	0.771	-140.6	1.724	82.5	0.196	15.9	0.626	-48.9
1.1	0.760	-147.8	1.599	77.3	0.192	13.5	0.606	-51.4
1.2	0.751	-154.4	1.493	72.3	0.189	10.8	0.589	-53.9
1.3	0.744	-160.5	1.387	67.4	0.184	9.6	0.573	-56.6
1.4	0.738	-165.7	1.311	63.5	0.179	8.3	0.557	-59.7
1.5	0.737	-170.7	1.236	59.5	0.171	7.0	0.549	-62.8
1.6	0.737	-175.7	1.171	55.6	0.166	7.1	0.538	-65.6
1.7	0.741	-179.8	1.123	52.3	0.159	6.3	0.531	-69.4
1.8	0.750	-175.0	1.074	48.4	0.151	7.1	0.526	-72.6
1.9	0.750	-170.2	1.021	44.5	0.144	8.9	0.522	-76.2
2.0	0.752	-166.5	0.970	41.1	0.140	10.8	0.520	-80.3
2.1	0.752	-162.8	0.920	38.0	0.135	13.5	0.513	-84.5
2.2	0.756	-159.4	0.887	35.2	0.129	17.9	0.515	-88.9
2.3	0.757	-156.5	0.849	32.6	0.127	21.9	0.511	-93.0
2.4	0.767	-153.8	0.815	30.2	0.126	25.9	0.509	-98.0
2.5	0.772	-151.1	0.790	28.1	0.130	31.0	0.505	-102.7
2.6	0.771	-148.2	0.755	26.0	0.132	35.1	0.507	-107.2
2.7	0.782	-145.1	0.728	23.8	0.137	39.7	0.507	-111.8
2.8	0.782	-143.2	0.701	22.1	0.146	42.4	0.511	-116.4
2.9	0.781	-140.7	0.673	20.0	0.157	46.5	0.511	-120.8
3.0	0.785	-137.9	0.652	17.9	0.170	48.1	0.519	-125.6
4.0	0.824	-119.0	0.517	9.4	0.299	46.5	0.598	-173.1
5.0	0.820	-104.5	0.470	6.6	0.415	29.6	0.679	153.2

V<sub>CE</sub> = 1 V, I<sub>C</sub> = 3 mA, Z<sub>0</sub> = 50 Ω

Frequency (GHz)	S <sub>11</sub>		S <sub>21</sub>		S <sub>12</sub>		S <sub>22</sub>	
	MAG.	ANG. (deg.)	MAG.	ANG. (deg.)	MAG.	ANG. (deg.)	MAG.	ANG. (deg.)
0.1	0.905	-33.5	10.568	158.4	0.046	75.5	0.939	-19.2
0.2	0.856	-64.3	9.334	138.9	0.072	54.9	0.817	-32.8
0.3	0.777	-88.9	7.733	123.8	0.095	45.6	0.697	-43.2
0.4	0.715	-108.7	6.456	112.2	0.108	39.4	0.592	-50.5
0.5	0.674	-123.2	5.436	103.7	0.118	35.9	0.512	-55.3
0.6	0.654	-134.4	4.702	97.4	0.119	33.8	0.447	-58.9
0.7	0.641	-143.6	4.126	91.9	0.124	32.5	0.400	-61.7
0.8	0.642	-150.9	3.714	87.1	0.128	31.5	0.363	-64.3
0.9	0.636	-158.3	3.350	82.2	0.130	31.9	0.331	-66.2
1.0	0.636	-164.4	3.059	77.6	0.133	31.7	0.309	-69.0
1.1	0.631	-169.8	2.808	73.8	0.135	32.6	0.292	-70.7
1.2	0.626	-174.9	2.601	70.1	0.136	32.8	0.277	-73.5
1.3	0.627	-179.2	2.395	66.3	0.142	33.7	0.264	-76.5
1.4	0.625	-177.0	2.234	63.3	0.146	34.9	0.251	-79.8
1.5	0.628	-173.1	2.100	60.2	0.146	35.8	0.242	-83.4
1.6	0.633	-169.2	1.983	57.0	0.151	36.1	0.233	-87.3
1.7	0.638	-165.9	1.883	54.5	0.154	36.4	0.227	-91.5
1.8	0.647	-162.2	1.790	51.2	0.156	37.9	0.221	-95.2
1.9	0.651	-158.5	1.696	48.4	0.163	39.2	0.216	-99.6
2.0	0.657	-155.7	1.611	45.2	0.169	39.7	0.212	-104.5
2.1	0.659	-152.9	1.531	42.6	0.173	39.9	0.210	-110.1
2.2	0.663	-150.6	1.464	40.1	0.179	40.9	0.212	-115.0
2.3	0.669	-148.4	1.399	37.7	0.186	41.8	0.209	-119.4
2.4	0.678	-146.3	1.353	35.6	0.192	42.4	0.213	-125.6
2.5	0.682	-144.1	1.307	33.2	0.200	42.5	0.215	-130.9
2.6	0.684	-142.1	1.250	31.1	0.204	42.8	0.220	-135.4
2.7	0.695	-139.7	1.209	28.7	0.212	43.4	0.223	-140.7
2.8	0.695	-138.2	1.161	26.7	0.219	42.9	0.232	-144.9
2.9	0.696	-136.1	1.126	24.4	0.229	43.4	0.237	-149.6
3.0	0.704	-133.7	1.097	22.1	0.238	43.2	0.250	-153.8
4.0	0.762	-118.6	0.845	6.2	0.317	37.7	0.383	168.8
5.0	0.787	-105.6	0.673	-3.7	0.404	25.2	0.507	145.0

V<sub>CE</sub> = 1 V, I<sub>c</sub> = 5 mA, Z<sub>o</sub> = 50 Ω

Frequency (GHz)	S <sub>11</sub>		S <sub>21</sub>		S <sub>12</sub>		S <sub>22</sub>	
	MAG.	ANG. (deg.)	MAG.	ANG. (deg.)	MAG.	ANG. (deg.)	MAG.	ANG. (deg.)
0.1	0.857	-40.6	14.145	154.1	0.043	71.9	0.902	-24.7
0.2	0.790	-76.0	11.832	132.6	0.065	51.7	0.735	-41.3
0.3	0.706	-102.1	9.354	117.7	0.082	44.1	0.597	-52.2
0.4	0.656	-121.4	7.570	107.1	0.091	39.6	0.488	-59.9
0.5	0.624	-134.9	6.276	99.4	0.099	38.4	0.411	-64.4
0.6	0.612	-144.9	5.368	93.7	0.103	38.2	0.352	-68.6
0.7	0.605	-153.2	4.679	88.8	0.111	37.9	0.308	-71.1
0.8	0.607	-159.8	4.194	84.5	0.113	37.9	0.277	-74.4
0.9	0.604	-166.3	3.768	80.0	0.119	39.0	0.250	-76.9
1.0	0.608	-171.8	3.427	75.9	0.123	39.4	0.229	-80.0
1.1	0.602	-176.4	3.125	72.3	0.128	40.5	0.213	-81.9
1.2	0.603	179.2	2.887	68.9	0.133	40.8	0.202	-85.8
1.3	0.599	175.1	2.656	65.5	0.139	41.9	0.190	-89.9
1.4	0.603	171.6	2.477	62.7	0.145	42.1	0.179	-93.9
1.5	0.607	168.5	2.321	59.8	0.150	42.4	0.172	-99.2
1.6	0.614	164.6	2.192	57.0	0.157	42.9	0.164	-104.1
1.7	0.619	161.4	2.080	54.4	0.163	42.5	0.160	-109.2
1.8	0.628	158.0	1.973	51.4	0.167	43.5	0.156	-114.1
1.9	0.629	154.6	1.870	48.5	0.174	44.3	0.155	-120.5
2.0	0.637	152.1	1.777	45.7	0.181	43.6	0.154	-125.6
2.1	0.641	149.4	1.682	43.3	0.188	43.8	0.155	-132.6
2.2	0.646	147.7	1.609	40.8	0.193	43.7	0.161	-137.6
2.3	0.650	145.1	1.535	38.5	0.200	43.7	0.160	-142.9
2.4	0.657	143.2	1.480	36.3	0.207	43.7	0.167	-148.9
2.5	0.666	141.1	1.427	34.2	0.215	43.3	0.170	-154.2
2.6	0.662	138.8	1.363	32.2	0.220	43.6	0.178	-158.1
2.7	0.669	137.2	1.317	30.3	0.226	44.0	0.183	-162.8
2.8	0.672	136.3	1.279	28.5	0.236	43.3	0.194	-165.2
2.9	0.675	134.2	1.242	26.1	0.247	43.4	0.204	-169.8
3.0	0.685	132.1	1.213	23.8	0.255	42.5	0.217	-173.0
4.0	0.749	117.2	0.930	6.9	0.322	35.2	0.351	156.9
5.0	0.779	105.0	0.744	-3.7	0.400	23.3	0.468	138.0

V<sub>CE</sub> = 1 V, I<sub>c</sub> = 7 mA, Z<sub>o</sub> = 50 Ω

Frequency (GHz)	S <sub>11</sub>		S <sub>21</sub>		S <sub>12</sub>		S <sub>22</sub>	
	MAG.	ANG. (deg.)	MAG.	ANG. (deg.)	MAG.	ANG. (deg.)	MAG.	ANG. (deg.)
0.1	0.793	-52.5	18.676	148.3	0.036	75.5	0.849	-32.7
0.2	0.705	-91.2	14.443	125.2	0.055	47.4	0.631	-51.5
0.3	0.632	-116.9	10.828	111.4	0.068	44.5	0.490	-63.1
0.4	0.601	-134.5	8.561	101.8	0.078	42.2	0.386	-71.2
0.5	0.581	-146.5	6.991	95.3	0.085	43.9	0.319	-76.8
0.6	0.576	-155.0	5.919	90.4	0.090	44.9	0.268	-81.6
0.7	0.573	-162.1	5.127	86.0	0.098	44.8	0.232	-85.3
0.8	0.576	-167.8	4.573	82.0	0.104	45.6	0.206	-89.8
0.9	0.578	-173.2	4.096	78.0	0.112	46.9	0.183	-94.2
1.0	0.584	-177.7	3.709	74.4	0.118	47.6	0.169	-98.9
1.1	0.579	178.1	3.394	71.0	0.126	48.5	0.156	-102.0
1.2	0.579	174.0	3.123	68.0	0.132	48.8	0.147	-107.7
1.3	0.581	170.8	2.868	64.9	0.142	49.4	0.143	-113.0
1.4	0.581	167.7	2.675	62.4	0.150	49.2	0.135	-118.4
1.5	0.588	164.9	2.510	59.8	0.154	48.8	0.134	-125.1
1.6	0.593	161.4	2.353	57.0	0.165	49.0	0.131	-131.4
1.7	0.600	158.6	2.240	54.6	0.171	48.2	0.135	-137.9
1.8	0.609	155.5	2.125	51.7	0.177	48.7	0.134	-143.8
1.9	0.613	152.5	2.012	49.1	0.186	48.3	0.136	-149.7
2.0	0.621	150.3	1.915	46.4	0.193	47.6	0.139	-154.8
2.1	0.624	147.8	1.810	44.2	0.200	46.8	0.147	-161.6
2.2	0.631	146.1	1.729	41.9	0.208	47.1	0.155	-165.1
2.3	0.635	143.8	1.648	39.6	0.216	46.5	0.157	-169.7
2.4	0.642	142.4	1.591	37.6	0.224	45.8	0.170	-174.5
2.5	0.650	140.5	1.540	35.6	0.233	45.4	0.175	-178.7
2.6	0.651	138.4	1.476	33.5	0.237	44.8	0.185	-178.9
2.7	0.664	136.6	1.422	31.2	0.244	44.2	0.193	-174.3
2.8	0.662	135.3	1.368	29.3	0.252	43.8	0.202	-172.7
2.9	0.663	133.1	1.327	27.2	0.263	43.4	0.212	-169.6
3.0	0.671	131.1	1.297	25.1	0.270	42.4	0.222	-167.6
4.0	0.733	117.7	1.008	8.8	0.335	34.3	0.353	146.8
5.0	0.768	105.6	0.811	-2.8	0.404	22.0	0.456	132.1

V<sub>CE</sub> = 1 V, I<sub>c</sub> = 10 mA, Z<sub>o</sub> = 50 Ω

Frequency (GHz)	S <sub>11</sub>		S <sub>21</sub>		S <sub>12</sub>		S <sub>22</sub>	
	MAG.	ANG. (deg.)	MAG.	ANG. (deg.)	MAG.	ANG. (deg.)	MAG.	ANG. (deg.)
0.1	0.732	-63.5	22.710	143.1	0.039	53.8	0.785	-39.4
0.2	0.643	-104.7	16.341	119.4	0.049	45.4	0.550	-60.5
0.3	0.586	-128.8	11.832	106.8	0.057	45.6	0.413	-72.6
0.4	0.571	-144.3	9.170	98.5	0.067	45.5	0.319	-81.7
0.5	0.557	-155.0	7.454	92.6	0.076	48.1	0.261	-88.2
0.6	0.558	-162.1	6.290	88.1	0.083	50.2	0.219	-94.3
0.7	0.557	-168.5	5.434	84.0	0.093	50.7	0.189	-99.9
0.8	0.564	-173.4	4.821	80.5	0.100	52.0	0.168	-106.1
0.9	0.565	-178.1	4.311	76.8	0.109	52.4	0.151	-111.7
1.0	0.570	-177.9	3.906	73.2	0.118	52.9	0.142	-118.2
1.1	0.566	174.0	3.558	70.2	0.126	53.6	0.132	-122.8
1.2	0.568	170.6	3.282	67.4	0.135	53.2	0.129	-130.1
1.3	0.568	167.6	3.008	64.4	0.144	53.4	0.127	-136.0
1.4	0.570	164.7	2.811	62.0	0.154	53.2	0.125	-142.4
1.5	0.579	162.0	2.626	59.5	0.160	53.1	0.128	-148.7
1.6	0.584	158.9	2.467	56.9	0.170	52.0	0.132	-154.8
1.7	0.592	156.1	2.335	54.6	0.177	51.2	0.138	-160.0
1.8	0.600	153.5	2.219	51.7	0.184	51.1	0.141	-165.6
1.9	0.604	150.5	2.103	49.4	0.194	50.9	0.146	-171.0
2.0	0.611	148.4	1.992	46.7	0.202	49.7	0.154	-174.7
2.1	0.616	146.2	1.892	44.6	0.209	48.4	0.163	-179.9
2.2	0.623	144.4	1.804	42.3	0.218	48.5	0.171	-177.5
2.3	0.629	142.5	1.728	40.1	0.227	48.0	0.175	-173.2
2.4	0.636	141.0	1.662	38.2	0.234	46.9	0.188	-170.0
2.5	0.644	139.2	1.607	36.1	0.243	45.9	0.195	-166.8
2.6	0.646	137.4	1.537	34.2	0.247	45.5	0.205	-165.1
2.7	0.654	135.4	1.483	32.1	0.256	44.8	0.214	-161.6
2.8	0.655	134.1	1.427	30.2	0.263	43.5	0.222	-160.0
2.9	0.654	132.4	1.381	28.1	0.272	43.3	0.232	-157.4
3.0	0.664	130.2	1.355	26.0	0.280	42.3	0.243	-155.8
4.0	0.726	117.2	1.050	10.0	0.343	33.4	0.362	-139.8
5.0	0.757	105.5	0.850	-1.8	0.406	20.9	0.453	-127.1

V<sub>CE</sub> = 1 V, I<sub>c</sub> = 20 mA, Z<sub>o</sub> = 50 Ω

Frequency (GHz)	S <sub>11</sub>		S <sub>21</sub>		S <sub>12</sub>		S <sub>22</sub>	
	MAG.	ANG. (deg.)	MAG.	ANG. (deg.)	MAG.	ANG. (deg.)	MAG.	ANG. (deg.)
0.1	0.581	-93.3	30.515	130.3	0.025	59.7	0.642	-56.5
0.2	0.551	-131.2	18.907	109.2	0.036	45.6	0.399	-80.4
0.3	0.535	-150.6	13.075	99.3	0.043	56.4	0.293	-95.0
0.4	0.535	-161.8	9.967	92.8	0.057	56.0	0.229	-107.7
0.5	0.535	-169.3	8.020	88.1	0.069	58.7	0.192	-117.4
0.6	0.537	-174.2	6.742	84.4	0.078	62.2	0.171	-127.6
0.7	0.540	-178.7	5.797	81.0	0.088	61.4	0.155	-135.9
0.8	0.549	177.6	5.132	77.8	0.099	61.0	0.148	-143.1
0.9	0.551	174.1	4.565	74.8	0.109	61.5	0.145	-151.1
1.0	0.558	170.8	4.128	71.5	0.119	61.1	0.145	-156.9
1.1	0.555	167.8	3.762	68.7	0.130	61.2	0.143	-161.8
1.2	0.557	165.0	3.470	66.2	0.139	60.0	0.148	-167.5
1.3	0.559	162.3	3.178	63.4	0.151	59.8	0.152	-171.6
1.4	0.563	160.1	2.966	61.4	0.162	58.2	0.157	-176.9
1.5	0.568	157.5	2.769	58.8	0.170	57.5	0.164	-179.8
1.6	0.576	154.9	2.607	56.5	0.182	56.7	0.172	-176.0
1.7	0.583	152.4	2.461	54.3	0.188	54.7	0.180	-172.5
1.8	0.591	150.1	2.329	51.5	0.197	54.5	0.187	-168.9
1.9	0.598	147.3	2.213	49.3	0.209	53.3	0.195	-166.1
2.0	0.604	145.4	2.097	46.8	0.216	52.1	0.203	-163.3
2.1	0.609	143.4	1.983	44.9	0.223	50.9	0.215	-160.1
2.2	0.617	142.1	1.894	42.8	0.232	50.2	0.225	-158.9
2.3	0.620	140.3	1.806	40.7	0.241	49.1	0.231	-155.3
2.4	0.629	138.9	1.745	38.7	0.249	47.7	0.242	-153.1
2.5	0.638	137.2	1.683	36.9	0.259	47.1	0.249	-150.8
2.6	0.638	135.5	1.610	35.0	0.265	46.1	0.258	-149.4
2.7	0.649	133.8	1.552	32.8	0.271	45.0	0.267	-146.8
2.8	0.649	132.5	1.493	31.0	0.278	43.8	0.274	-145.6
2.9	0.648	130.5	1.450	29.1	0.289	43.4	0.284	-143.9
3.0	0.660	128.8	1.417	27.1	0.295	42.0	0.293	-142.7
4.0	0.720	116.3	1.102	11.5	0.354	31.9	0.400	-130.1
5.0	0.753	105.2	0.896	-0.1	0.411	19.3	0.470	-119.4

V<sub>CE</sub> = 2 V, I<sub>c</sub> = 1 mA, Z<sub>o</sub> = 50 Ω

Frequency (GHz)	S <sub>11</sub>		S <sub>21</sub>		S <sub>12</sub>		S <sub>22</sub>	
	MAG.	ANG. (deg.)	MAG.	ANG. (deg.)	MAG.	ANG. (deg.)	MAG.	ANG. (deg.)
0.1	0.984	-19.1	3.923	167.5	0.040	78.7	0.998	-7.6
0.2	0.989	-38.3	3.801	153.9	0.074	65.8	0.969	-13.9
0.3	0.942	-56.7	3.506	140.8	0.103	58.0	0.934	-20.3
0.4	0.898	-74.0	3.202	128.8	0.132	48.9	0.884	-25.7
0.5	0.853	-88.8	2.883	119.0	0.152	40.7	0.835	-30.3
0.6	0.816	-101.2	2.597	111.1	0.159	35.2	0.785	-33.9
0.7	0.791	-111.8	2.363	104.4	0.168	30.0	0.746	-37.1
0.8	0.781	-121.2	2.199	98.2	0.170	25.5	0.706	-39.8
0.9	0.768	-130.3	2.033	91.9	0.173	22.0	0.675	-42.1
1.0	0.766	-138.7	1.903	85.9	0.172	19.0	0.649	-44.4
1.1	0.754	-145.9	1.762	80.6	0.168	16.9	0.629	-46.6
1.2	0.745	-152.8	1.650	75.8	0.165	14.7	0.611	-48.8
1.3	0.735	-158.9	1.534	71.1	0.162	13.5	0.595	-51.2
1.4	0.727	-164.2	1.446	67.2	0.157	12.5	0.581	-53.9
1.5	0.727	-169.4	1.367	63.3	0.151	11.7	0.571	-56.7
1.6	0.729	-174.5	1.294	59.5	0.147	11.8	0.559	-59.2
1.7	0.731	-179.0	1.240	56.2	0.142	11.3	0.553	-62.4
1.8	0.739	-176.0	1.184	52.1	0.135	13.7	0.547	-65.1
1.9	0.737	171.3	1.126	48.6	0.131	15.4	0.541	-68.4
2.0	0.743	167.4	1.072	45.0	0.127	18.0	0.537	-72.2
2.1	0.742	163.5	1.019	42.1	0.123	20.1	0.529	-75.8
2.2	0.746	160.3	0.977	39.0	0.120	25.3	0.529	-80.0
2.3	0.745	157.1	0.937	36.7	0.121	29.3	0.527	-83.5
2.4	0.754	154.5	0.903	34.3	0.121	33.6	0.520	-88.2
2.5	0.758	151.6	0.873	32.0	0.125	38.1	0.516	-92.4
2.6	0.758	148.7	0.837	29.7	0.128	42.5	0.514	-96.8
2.7	0.768	145.7	0.806	27.7	0.134	46.2	0.513	-101.2
2.8	0.769	143.8	0.777	25.6	0.143	48.5	0.515	-105.4
2.9	0.765	141.3	0.747	23.6	0.156	51.5	0.513	-109.5
3.0	0.774	138.4	0.725	21.3	0.168	52.9	0.518	-114.4
4.0	0.813	119.4	0.569	10.4	0.297	50.4	0.576	-162.6
5.0	0.816	105.0	0.498	6.5	0.419	33.1	0.654	161.3

V<sub>CE</sub> = 2 V, I<sub>c</sub> = 3 mA, Z<sub>o</sub> = 50 Ω

Frequency (GHz)	S <sub>11</sub>		S <sub>21</sub>		S <sub>12</sub>		S <sub>22</sub>	
	MAG.	ANG. (deg.)	MAG.	ANG. (deg.)	MAG.	ANG. (deg.)	MAG.	ANG. (deg.)
0.1	0.939	-28.4	9.630	161.3	0.036	84.0	0.964	-14.7
0.2	0.887	-55.9	8.779	143.3	0.066	56.2	0.866	-26.0
0.3	0.805	-79.1	7.497	128.6	0.086	49.6	0.767	-35.0
0.4	0.742	-98.6	6.405	116.9	0.100	42.7	0.673	-41.2
0.5	0.693	-113.8	5.459	108.0	0.111	38.7	0.595	-45.4
0.6	0.667	-125.5	4.762	101.3	0.114	35.8	0.532	-48.4
0.7	0.647	-135.2	4.207	95.5	0.120	33.2	0.484	-50.7
0.8	0.644	-143.4	3.803	90.6	0.120	32.3	0.445	-52.6
0.9	0.635	-151.3	3.446	85.7	0.124	31.8	0.415	-54.0
1.0	0.635	-158.0	3.157	80.8	0.126	31.6	0.390	-55.7
1.1	0.628	-163.9	2.903	76.6	0.126	32.3	0.373	-57.2
1.2	0.624	-169.4	2.694	72.9	0.128	32.3	0.355	-59.3
1.3	0.620	-174.1	2.470	69.4	0.130	33.5	0.341	-61.4
1.4	0.618	-178.2	2.313	66.2	0.133	34.3	0.327	-63.8
1.5	0.620	177.4	2.176	62.9	0.134	35.0	0.316	-66.6
1.6	0.624	173.3	2.053	59.8	0.138	36.7	0.304	-69.0
1.7	0.629	169.5	1.954	57.1	0.140	36.7	0.296	-72.4
1.8	0.637	165.7	1.854	53.7	0.142	38.7	0.289	-75.2
1.9	0.639	162.0	1.761	50.7	0.148	40.5	0.281	-78.0
2.0	0.645	159.0	1.676	47.4	0.153	41.1	0.276	-82.4
2.1	0.647	155.7	1.589	45.0	0.157	41.9	0.265	-86.6
2.2	0.655	153.4	1.526	42.4	0.162	43.4	0.266	-90.9
2.3	0.656	150.7	1.458	39.9	0.168	44.4	0.262	-94.1
2.4	0.665	148.8	1.406	37.6	0.174	44.6	0.258	-100.1
2.5	0.672	146.4	1.359	35.4	0.182	45.7	0.255	-104.3
2.6	0.673	144.2	1.300	33.3	0.186	46.3	0.255	-108.9
2.7	0.685	142.0	1.256	30.8	0.194	47.0	0.253	-114.2
2.8	0.687	140.1	1.210	28.8	0.202	47.0	0.259	-118.6
2.9	0.684	137.8	1.165	26.5	0.212	47.5	0.259	-123.2
3.0	0.695	135.6	1.139	24.1	0.221	47.7	0.268	-128.1
4.0	0.755	119.7	0.873	7.3	0.307	42.7	0.369	-174.8
5.0	0.786	106.5	0.695	-3.1	0.403	29.5	0.492	156.0

V<sub>CE</sub> = 2 V, I<sub>c</sub> = 5 mA, Z<sub>o</sub> = 50 Ω

Frequency (GHz)	S <sub>11</sub>		S <sub>21</sub>		S <sub>12</sub>		S <sub>22</sub>	
	MAG.	ANG. (deg.)	MAG.	ANG. (deg.)	MAG.	ANG. (deg.)	MAG.	ANG. (deg.)
0.1	0.851	-39.0	15.112	155.3	0.035	66.6	0.912	-21.9
0.2	0.782	-71.7	12.744	134.3	0.057	53.4	0.758	-36.6
0.3	0.693	-97.3	10.222	119.5	0.070	49.0	0.624	-46.3
0.4	0.638	-116.7	8.302	108.8	0.082	42.9	0.516	-52.4
0.5	0.601	-130.4	6.897	101.1	0.089	41.6	0.441	-56.1
0.6	0.587	-141.0	5.911	95.5	0.092	40.7	0.383	-58.9
0.7	0.576	-149.5	5.156	90.5	0.099	40.9	0.342	-60.5
0.8	0.577	-156.5	4.615	86.4	0.102	41.6	0.306	-62.2
0.9	0.573	-163.0	4.155	82.1	0.109	42.4	0.282	-63.9
1.0	0.576	-168.7	3.779	77.8	0.113	42.6	0.260	-65.5
1.1	0.571	-173.5	3.453	74.4	0.117	44.4	0.246	-66.9
1.2	0.570	-178.0	3.187	71.1	0.122	44.3	0.231	-69.3
1.3	0.569	177.9	2.929	67.8	0.129	45.1	0.218	-71.6
1.4	0.569	174.3	2.740	64.9	0.135	46.0	0.206	-74.6
1.5	0.575	170.6	2.566	62.2	0.139	46.6	0.197	-78.2
1.6	0.580	167.0	2.418	59.5	0.147	47.0	0.188	-81.7
1.7	0.585	163.7	2.295	56.9	0.151	46.2	0.181	-86.1
1.8	0.597	160.5	2.181	53.8	0.158	47.7	0.172	-89.9
1.9	0.600	157.0	2.065	51.2	0.165	48.0	0.165	-93.8
2.0	0.605	154.4	1.961	48.3	0.174	47.4	0.164	-99.0
2.1	0.609	151.8	1.860	46.0	0.177	47.6	0.155	-105.4
2.2	0.615	149.7	1.777	43.6	0.185	48.1	0.158	-110.6
2.3	0.621	147.8	1.702	41.3	0.192	47.9	0.154	-115.2
2.4	0.630	145.8	1.639	39.2	0.199	47.6	0.157	-122.8
2.5	0.636	143.7	1.586	37.0	0.208	47.8	0.155	-128.5
2.6	0.639	141.4	1.520	34.9	0.213	47.2	0.159	-133.1
2.7	0.650	139.5	1.463	32.8	0.220	47.0	0.160	-139.4
2.8	0.651	138.0	1.412	30.7	0.227	46.6	0.166	-143.8
2.9	0.650	136.1	1.363	28.5	0.238	46.8	0.171	-149.3
3.0	0.660	133.6	1.335	26.2	0.246	45.9	0.182	-153.2
4.0	0.727	119.4	1.027	9.1	0.319	39.2	0.305	168.2
5.0	0.766	106.9	0.821	-3.0	0.398	26.9	0.425	146.9

V<sub>CE</sub> = 2 V, I<sub>c</sub> = 7 mA, Z<sub>o</sub> = 50 Ω

Frequency (GHz)	S <sub>11</sub>		S <sub>21</sub>		S <sub>12</sub>		S <sub>22</sub>	
	MAG.	ANG. (deg.)	MAG.	ANG. (deg.)	MAG.	ANG. (deg.)	MAG.	ANG. (deg.)
0.1	0.802	-45.9	18.711	151.1	0.032	69.2	0.878	-27.4
0.2	0.723	-81.9	15.009	129.1	0.051	50.4	0.681	-43.1
0.3	0.629	-107.3	11.524	114.8	0.061	48.0	0.546	-52.9
0.4	0.588	-126.5	9.192	104.9	0.072	44.9	0.436	-59.0
0.5	0.562	-139.3	7.548	97.9	0.080	44.8	0.368	-62.6
0.6	0.551	-148.8	6.424	92.8	0.083	46.6	0.313	-65.1
0.7	0.547	-156.7	5.569	88.2	0.091	45.3	0.275	-66.9
0.8	0.550	-162.5	4.976	84.5	0.097	47.0	0.247	-69.1
0.9	0.550	-168.4	4.460	80.4	0.104	47.8	0.223	-70.6
1.0	0.554	-173.6	4.045	76.6	0.110	48.7	0.203	-72.9
1.1	0.549	-178.1	3.698	73.3	0.117	50.0	0.191	-74.4
1.2	0.549	177.8	3.404	70.2	0.122	50.2	0.177	-77.8
1.3	0.548	174.2	3.128	67.1	0.131	50.5	0.169	-80.9
1.4	0.549	170.9	2.924	64.6	0.138	50.1	0.156	-84.2
1.5	0.556	167.6	2.740	62.0	0.144	50.9	0.148	-89.3
1.6	0.562	164.1	2.574	59.3	0.153	51.0	0.141	-94.4
1.7	0.567	161.3	2.441	56.7	0.158	50.3	0.136	-99.2
1.8	0.577	158.1	2.314	53.9	0.164	51.0	0.129	-104.2
1.9	0.582	154.9	2.194	51.2	0.174	50.7	0.125	-109.7
2.0	0.591	152.4	2.087	48.5	0.181	50.0	0.125	-115.5
2.1	0.595	150.2	1.973	46.4	0.188	49.5	0.121	-124.0
2.2	0.602	148.0	1.887	44.1	0.195	49.7	0.127	-130.2
2.3	0.606	146.0	1.804	41.9	0.202	49.2	0.123	-135.3
2.4	0.613	144.4	1.738	39.9	0.211	48.7	0.130	-143.2
2.5	0.621	142.3	1.682	37.7	0.219	48.2	0.132	-148.7
2.6	0.624	140.6	1.608	35.7	0.223	48.0	0.137	-153.3
2.7	0.636	138.5	1.550	33.5	0.231	47.4	0.142	-160.2
2.8	0.635	137.1	1.495	31.7	0.239	46.4	0.149	-163.6
2.9	0.637	135.1	1.446	29.3	0.249	46.5	0.158	-168.3
3.0	0.646	133.0	1.415	27.2	0.256	45.6	0.168	-171.3
4.0	0.714	119.1	1.091	10.4	0.325	37.7	0.296	158.1
5.0	0.753	106.9	0.872	-2.2	0.399	25.6	0.407	140.8

V<sub>CE</sub> = 2 V, I<sub>c</sub> = 10 mA, Z<sub>o</sub> = 50 Ω



Frequency (GHz)	S <sub>11</sub>		S <sub>21</sub>		S <sub>12</sub>		S <sub>22</sub>	
	MAG.	ANG. (deg.)	MAG.	ANG. (deg.)	MAG.	ANG. (deg.)	MAG.	ANG. (deg.)
0.1	0.750	-56.5	23.514	146.0	0.027	64.8	0.823	-33.9
0.2	0.644	-95.7	17.490	122.6	0.045	47.2	0.593	-51.3
0.3	0.572	-120.7	12.917	109.5	0.054	46.3	0.456	-60.9
0.4	0.541	-137.5	10.084	100.7	0.063	48.6	0.356	-67.2
0.5	0.526	-149.2	8.204	94.5	0.073	49.9	0.292	-70.9
0.6	0.523	-157.4	6.928	89.9	0.077	52.7	0.245	-74.0
0.7	0.521	-163.9	5.995	85.9	0.086	52.5	0.212	-76.3
0.8	0.523	-169.3	5.321	82.3	0.093	53.4	0.187	-79.3
0.9	0.527	-174.6	4.765	78.7	0.102	54.0	0.166	-81.7
1.0	0.531	-178.7	4.312	75.1	0.108	54.9	0.153	-85.3
1.1	0.526	177.4	3.932	72.2	0.117	55.8	0.139	-87.4
1.2	0.528	173.5	3.628	69.5	0.125	55.4	0.128	-92.4
1.3	0.529	170.1	3.328	66.6	0.135	55.2	0.122	-96.6
1.4	0.534	167.5	3.108	63.9	0.143	55.3	0.112	-101.6
1.5	0.537	164.5	2.906	61.5	0.149	55.0	0.110	-108.4
1.6	0.543	161.3	2.723	58.8	0.160	54.0	0.107	-115.8
1.7	0.551	158.6	2.583	56.8	0.165	53.3	0.104	-122.9
1.8	0.562	155.9	2.448	54.1	0.172	53.6	0.101	-129.8
1.9	0.567	152.4	2.323	51.5	0.181	53.0	0.100	-136.5
2.0	0.574	150.6	2.204	48.8	0.190	51.8	0.104	-143.6
2.1	0.578	148.1	2.090	46.8	0.197	51.6	0.109	-152.9
2.2	0.586	146.6	1.996	44.7	0.205	51.1	0.117	-156.8
2.3	0.591	144.5	1.905	42.4	0.214	50.1	0.117	-163.6
2.4	0.600	142.7	1.836	40.4	0.222	49.4	0.126	-169.5
2.5	0.607	141.2	1.774	38.5	0.230	48.7	0.132	-174.4
2.6	0.610	139.5	1.698	36.6	0.236	48.2	0.141	-177.7
2.7	0.622	137.2	1.636	34.4	0.242	47.6	0.147	177.2
2.8	0.624	136.0	1.578	32.5	0.250	46.6	0.156	175.1
2.9	0.624	134.2	1.527	30.4	0.261	46.2	0.167	171.3
3.0	0.636	132.0	1.493	28.4	0.267	45.3	0.176	169.7
4.0	0.702	119.0	1.156	11.7	0.333	36.2	0.301	147.8
5.0	0.744	106.9	0.927	-0.8	0.400	24.1	0.401	134.1

V<sub>CE</sub> = 2 V, I<sub>c</sub> = 20 mA, Z<sub>o</sub> = 50 Ω

Frequency (GHz)	S <sub>11</sub>		S <sub>21</sub>		S <sub>12</sub>		S <sub>22</sub>	
	MAG.	ANG. (deg.)	MAG.	ANG. (deg.)	MAG.	ANG. (deg.)	MAG.	ANG. (deg.)
0.1	0.576	-82.7	32.751	133.7	0.019	74.7	0.684	-47.8
0.2	0.516	-122.3	20.941	111.9	0.033	49.5	0.430	-67.0
0.3	0.491	-143.9	14.639	101.4	0.039	56.1	0.309	-77.0
0.4	0.490	-156.1	11.171	94.7	0.051	59.8	0.235	-85.3
0.5	0.484	-164.6	9.005	89.8	0.065	60.6	0.188	-90.6
0.6	0.489	-170.0	7.567	86.3	0.072	63.7	0.157	-97.0
0.7	0.489	-175.5	6.505	82.5	0.082	62.6	0.134	-102.3
0.8	0.496	-179.0	5.770	79.5	0.090	62.8	0.119	-108.6
0.9	0.499	176.8	5.143	76.4	0.102	63.4	0.107	-115.2
1.0	0.506	173.6	4.652	73.3	0.112	62.7	0.101	-122.0
1.1	0.504	170.4	4.245	70.5	0.121	62.9	0.094	-127.8
1.2	0.507	167.5	3.891	67.9	0.130	61.6	0.092	-135.7
1.3	0.510	164.8	3.578	65.4	0.141	61.2	0.093	-142.2
1.4	0.514	162.2	3.339	63.2	0.151	60.2	0.091	-150.6
1.5	0.521	160.0	3.125	61.0	0.159	59.8	0.097	-157.2
1.6	0.527	157.0	2.931	58.4	0.171	58.4	0.102	-163.1
1.7	0.534	154.7	2.767	56.5	0.177	57.0	0.110	-168.7
1.8	0.545	152.2	2.633	53.7	0.184	56.7	0.115	-174.5
1.9	0.548	149.4	2.488	51.5	0.195	56.0	0.120	-179.7
2.0	0.560	147.7	2.358	49.3	0.205	54.3	0.129	176.7
2.1	0.565	145.5	2.233	47.1	0.210	53.3	0.139	171.2
2.2	0.571	143.9	2.132	45.1	0.221	52.6	0.149	169.6
2.3	0.575	142.3	2.034	42.9	0.229	51.4	0.156	165.1
2.4	0.586	140.8	1.960	41.0	0.237	50.5	0.167	162.2
2.5	0.594	139.3	1.892	39.1	0.246	49.5	0.174	158.6
2.6	0.595	137.6	1.809	37.3	0.252	48.6	0.183	156.7
2.7	0.610	135.7	1.743	35.2	0.258	47.4	0.192	153.6
2.8	0.609	134.4	1.678	33.5	0.265	46.5	0.198	152.8
2.9	0.610	132.5	1.627	31.3	0.276	46.0	0.210	150.2
3.0	0.620	130.6	1.588	29.4	0.283	44.7	0.218	149.4
4.0	0.689	118.1	1.231	13.3	0.343	34.7	0.334	135.3
5.0	0.733	106.8	0.996	0.9	0.403	22.3	0.412	124.5

PACKAGE DIMENSIONS

FLAT-LEAD 6-PIN THIN-TYPE ULTRA SUPER MINIMOLD (UNIT: mm)



PIN CONNECTIONS

- 1. Collector (Q1)
- 2. Emitter (Q1)
- 3. Collector (Q2)
- 4. Base (Q2)
- 5. Emitter (Q2)
- 6. Base (Q1)



[MEMO]

[MEMO]

[MEMO]

- **The information in this document is current as of September, 2001. The information is subject to change without notice. For actual design-in, refer to the latest publications of NEC's data sheets or data books, etc., for the most up-to-date specifications of NEC semiconductor products. Not all products and/or types are available in every country. Please check with an NEC sales representative for availability and additional information.**
  - No part of this document may be copied or reproduced in any form or by any means without prior written consent of NEC. NEC assumes no responsibility for any errors that may appear in this document.
  - NEC does not assume any liability for infringement of patents, copyrights or other intellectual property rights of third parties by or arising from the use of NEC semiconductor products listed in this document or any other liability arising from the use of such products. No license, express, implied or otherwise, is granted under any patents, copyrights or other intellectual property rights of NEC or others.
  - Descriptions of circuits, software and other related information in this document are provided for illustrative purposes in semiconductor product operation and application examples. The incorporation of these circuits, software and information in the design of customer's equipment shall be done under the full responsibility of customer. NEC assumes no responsibility for any losses incurred by customers or third parties arising from the use of these circuits, software and information.
  - While NEC endeavours to enhance the quality, reliability and safety of NEC semiconductor products, customers agree and acknowledge that the possibility of defects thereof cannot be eliminated entirely. To minimize risks of damage to property or injury (including death) to persons arising from defects in NEC semiconductor products, customers must incorporate sufficient safety measures in their design, such as redundancy, fire-containment, and anti-failure features.
  - NEC semiconductor products are classified into the following three quality grades:  
"Standard", "Special" and "Specific". The "Specific" quality grade applies only to semiconductor products developed based on a customer-designated "quality assurance program" for a specific application. The recommended applications of a semiconductor product depend on its quality grade, as indicated below. Customers must check the quality grade of each semiconductor product before using it in a particular application.  
"Standard": Computers, office equipment, communications equipment, test and measurement equipment, audio and visual equipment, home electronic appliances, machine tools, personal electronic equipment and industrial robots  
"Special": Transportation equipment (automobiles, trains, ships, etc.), traffic control systems, anti-disaster systems, anti-crime systems, safety equipment and medical equipment (not specifically designed for life support)  
"Specific": Aircraft, aerospace equipment, submersible repeaters, nuclear reactor control systems, life support systems and medical equipment for life support, etc.
- The quality grade of NEC semiconductor products is "Standard" unless otherwise expressly specified in NEC's data sheets or data books, etc. If customers wish to use NEC semiconductor products in applications not intended by NEC, they must contact an NEC sales representative in advance to determine NEC's willingness to support a given application.
- (Note)
- (1) "NEC" as used in this statement means NEC Corporation and also includes its majority-owned subsidiaries.  
(2) "NEC semiconductor products" means any semiconductor product developed or manufactured by or for NEC (as defined above).